

DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1

Approval of Operations on Onshore

Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

<u>Formation</u>	<u>Depth</u>	<u>Prod. Phase Anticipated</u>
Uinta	Surface	
Green River	2906'	
Mahogany Ledge	3659'	
Mesa	6470'	
TD (Wasatch)	8450'	Gas

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
Oil/Gas	Wasatch	8450'

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 3300.0 psi.

4. Surface Ownership

The well pad and access road are located on lands owned by the State.

RECEIVED

AUG 10 2000

DIVISION OF
OIL, GAS AND MINING

8/4/00

7:32:58 InAlm Tag 35BSD\YSL32_35B

ON

MULTI-POINT SURFACE USE & OPERATIONS PLAN

SHENANDOAH ENERGY INC.
WONSITS VALLEY FEDERAL #16W-2-8-21
SESE, SEC. 2, T8S, R21E, SLB&M
UINTAH COUNTY, UTAH

See attached maps

Topo map A- Access routes

Topo map B- Proposed Access road

Topo map C- Location of wells within a one mile radius

Topo map D- Proposed pipeline

RECEIVED

AUG 10 2000

DIVISION OF
OIL, GAS AND MINING

8/4/00

7:12:22 InAlm Tag 35BSD\YSL32_35B

ON

Lessee's or Operator's Representative:

John Busch
Red Wash Operations Rep.
Shenandoah Energy Inc.
11002 East 17500 South
Vernal, Utah 84078
(435) 781-4341

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

John Busch

John Busch
Red Wash Operations Representative

August 8, 2000

Date

RECEIVED

AUG 10 2000

DIVISION OF
OIL, GAS AND MINING

8/4/00





7:40:27 InAlm Tag CSSD\YSL32_15B

ON

SHENANDOAH ENERGY, INC.

CROSS SECTIONS

WVFU #16W & 16G-2-8-21



RECEIVED

AUG 10 2000

DIVISION OF
OIL, GAS AND MINING

APPROXIMATE YARDAGES

CUT = 2,320 Cu. Yds.

FILL = 2,310 Cu. Yds.

PIT = 1,780 Cu. Yds.

6" TOPSOIL = 1,450 Cu. Yds.

SURVEYED BY: D.J.S.

SCALE: 1" = 60'

DRAWN BY: J.R.S.

DATE: 8-8-00

Tri State
Land Surveying, Inc.

38 WEST 100 NORTH VERNAL, UTAH 84078

(435) 781-2501


WVFU #16W & 16G-2-8-21



38 WEST 100 NORTH, VERNAL, UTAH 84078

SHENANDOAH ENERGY, INC.

WVFU #16W & 16G-2-8-21
SEC. 2, T8S, R21E, S.L.B.&M.



RECEIVED

AUG 10 2000

DIVISION OF
OIL, GAS AND MINING

REFERENCE POINTS

185' SOUTH = 4999.5'
235' SOUTH = 4997.5'
250' WEST = 5000.8'

SURVEYED BY: D.J.S.

SCALE: 1" = 60'

DRAWN BY: J.R.S.

DATE: 8-8-00

Tri State
Land Surveying, Inc.


(435) 781-2501

38 WEST 100 NORTH VERNAL, UTAH 84078

8/4/00

7:40:27 InAlm Tag CSSD\YSL32_15B

ON



SHENANDOAH ENERGY INC.

WVFU #16W-2-8-21

SEC. 2, T8S, R21E, SLB&M

TOPOGRAPHIC MAP "A"



Drawn By: SS


Revision:

Scale: 1 : 100,000

File:

Date: 6-31-00

Tri-State Land Surveying Inc.
P.O. Box 533, Vernal, UT 84078
435-781-2501 Fax 435-781-2518



SHENANDOAH ENERGY INC.

WVFU #16W-2-8-21

SEC. 2, T8S, R21E, SLB&M

TOPOGRAPHIC MAP "B"



Drawn By: SS


Revision:

Scale: 1" = 1000'

File:

Date: 7-31-00

Tri-State Land Surveying Inc.
P.O. Box 533, Vernal, UT 84078
435-781-2501 Fax 435-781-2518



SHENANDOAH ENERGY INC.

WVFU #16W-2-8-21
SEC. 2, T8S, R21E, SLB&M
TOPOGRAPHIC MAP "D"



Drawn By: SS	Revision:
Scale: 1" = 1000'	File:
Date: 7-31-00	
Tri-State Land Surveying Inc. P.O. Box 533, Vernal, UT 84078 435-781-2501 Fax 435-781-2518	

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 08/10/2000

API NO. ASSIGNED: 43-047-33645

WELL NAME: WVFU 16W-2-8-21

OPERATOR: SHENANDOAH ENERGY INC (N4235)

CONTACT: JOHN BUSCH

PHONE NUMBER: 435-781-4341

PROPOSED LOCATION:

SESE 02 080S 210E

SURFACE: 0660 FSL 0660 FEL

BOTTOM: 0660 FSL 0660 FEL

UINTAH

WONSITS VALLEY (710)

LEASE TYPE: 3-State

LEASE NUMBER: ML-2785

SURFACE OWNER: 3-State

PROPOSED FORMATION: WSTC

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering	<i>JSK</i>	<i>9-8-00</i>
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

☒ Plat
☒ Bond: Fed[] Ind[] Sta[3] Fee[]
(No. U89758059)
☒ Potash (Y/N)
☒ Oil Shale (Y/N) *190 - 5 (B)
☒ Water Permit
(No. 43-8496)
☒ RDCC Review (Y/N)
(Date: _____)
☒ Fee Surf Agreement (Y/N)

LOCATION AND SITING:

☐ R649-2-3. Unit Wonsits Valley
☒ R649-3-2. General
Siting: _____
☐ R649-3-3. Exception
☒ Drilling Unit
Board Cause No: 1116-1 * Enh. Rec.
Eff Date: 7-20-05
Siting: Not Specified / Gen. St
☐ R649-3-11. Directional Drill

COMMENTS:

Need Presite. (Conducted 9-5-2000)
with SOF, separate file.

STIPULATIONS:

① STATEMENT OF BASIS

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:
3160
(UT-922)

August 16, 2000

Memorandum

To: Assistant District Manager Minerals, Vernal District
From: Michael Coulthard, Petroleum Engineer
Subject: 2000 Plan of Development Wonsits Valley Unit,
Uintah County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following wells are planned for calendar year 2000 within the Wonsits Valley Unit, Uintah County, Utah.

Api Number	Well	Location
------------	------	----------

Wasatch Completions

43-047-33645	WVFU 16W-2-8-21	Sec. 2, T8S, R21E 660 FSL 660 FEL
43-047-33648	WVFU 9W-2-8-21	Sec. 2, T8S, R21E 1955 FSL 399 FEL
43-047-33649	WVFU 12W-16-8-21	Sec. 16, T8S, R21E 1860 FSL 615 FWL

Green River Completions

43-047-33646	WVFU 16G-2-8-21	Sec. 2, T8S, R21E 682 FSL 732 FEL
43-047-33647	WVFU 9G-2-8-21	Sec. 2, T8S, R21E 2012 FSL 352 FEL
43-047-33650	WVFU 12G-16-8-21	Sec. 16, T8S, R21E 1932 FSL 635 FWL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Wonsits Valley Unit
Division of Oil Gas and Mining
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:8-16-0

SHENANDOAH ENERGY INC.

11002 East 17500 South

Vernal, UT 84078

Phone: (435) 781-4300

Fax (435) 781-4329

August 16, 2000

Division of Oil, Gas & Mining

1594 W. North Temple

Salt Lake City, UT 84114

Dear Lisha:

These are the originals for the APD on the WV #16W-2-8-21 and WV #16G-2-8-21. I know that it was really confusing I hope we have it all worked out.

If you need anything else please call me at (435) 781-4309.

Thank you,



Raleen Searle

Administrative Assistant

RECEIVED

AUG 18 2000

**DIVISION OF
OIL, GAS AND MINING**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on
reverse side)

FORM APPROVED
OSM NO. 1004-0136
Expires: February 28, 1995

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

b. TYPE OF WELL

OIL

WELL ☐

GAS

WELL ☒

OTHER

SINGLE

ZONE ☒

MULTIPLE

ZONE ☐

2. NAME OF OPERATOR

Shenandoah Energy Inc.

3. ADDRESS AND TELEPHONE NO

Phone: 435-781-4341 11002 East 17500 South
Fax: 435-781-4329 Vernal, Utah 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface

660' FSL 660' FEL, SESE

At proposed prod. zone

Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

11 miles West of Redwash Utah

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST

660' ±

PROPERTY OR LEASE LINE, FT.
(Also to nearest drig. Unit line if any)

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING COMPLETED,
OR APPLIED FOR ON THIS LEASE, FT.

1200' ±

16. NO. OF ACRES IN LEASE

602

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

19. PROPOSED DEPTH

8450

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5003.6'

22. APPROX. DATE WORK WILL START*

A.S.A.P

23. PROPOSED CASING AND CEMENTING PROGRAM

REFER TO S.O.P

Shenandoah Energy Inc. proposes to drill a well to 8450' to test the Wasatch. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Operations will be according to the Standard Operating Procedures for the Wonsits Valley Unit.

See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. U-89-75-80-59. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program if any.

24

SIGNED

John Busch John Busch

TITLE Red Wash Operations Representative

DATE 8/8/00

(This space for Federal or State office use)

PERMIT NO.

43-047-33645

APPROVAL DATE

Application approval does not warrant or certify that the applicant holds legal or equitable title to these rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

Bradley G. Hill

BRADLEY G. HILL
RECLAMATION SPECIALIST III

DATE

9/11/00

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED


AUG 18 2000

DIVISION OF
OIL, GAS AND MINING


T8S, R21E, S.L.B.&M.

SHENANDOAH ENERGY, INC.

WELL LOCATION, WONSITS VALLEY FEDERAL
UNIT #16W-2-8-21, LOCATED AS SHOWN IN
THE SE 1/4 SE 1/4 OF SECTION 2, T8S,
R21E, S.L.B.&M. UTAH COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS
PREPARED FROM THE RECORDS OF ACTUAL SURVEYS
MADE BY ME OR UNDER MY SUPERVISION AND THAT
THE SAME ARE TRUE AND CORRECT TO THE BEST OF
MY KNOWLEDGE AND BELIEF.



TRI STATE LAND SURVEYING & CONSULTING

38 WEST 100 NORTH - VERNAL, UTAH 84078
(435) 781-2501

SCALE: 1" = 1000'	SURVEYED BY: D.J.S.
DATE: 8-8-00	WEATHER: HOT
DRAWN BY: J.R.S.	FILE #

WFU #16W-2-8-21

LATITUDE = 40° 08' 51.12"
LONGITUDE = 109° 30' 54.23"

◆ = SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (BRENNAN BASIN)

**DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS**

Operator Name: SHENANDOAH ENERGY, INC.
Well Name & Number: WVFU 16W-2-8-21
API Number: 43-047-33645
Location: 1/4,1/4 SE/SE Sec. 2 T. 8S R. 21E

Geology/Ground Water:

Shenandoah proposes to set 450' of surface casing at this location. The depth to the base of the moderately saline water at this location is estimated to be at a depth of 2,500'. A search of Division of Water Rights records shows 1 water well within a 10,000 foot radius of the center of section 2. The well is approximately 9,000 feet from the proposed well, is a 40 foot deep stock watering well, and should not be influenced by the proposed well. The surface formation at this site is the Uinta Formation. The Uinta Formation is made up of interbedded shales and sandstones. The sandstones are mostly lenticular and discontinuous and should not be a significant source of useable ground water. The proposed surface casing should adequately protect any underground sources of useable water.

Reviewer: Brad Hill
Date: 9/7/2000

Surface:

The pre-drill investigation of the surface was performed on 9/5/2000. Surface and minerals are owned by State of Utah. Ed Bonner with SITLA and Jack Lytle with DWR were both invited to this meeting on 8/30/2000. Neither attended. Site is a legal location per general state siting rule. This site appears to be the best spot for a location in the immediate area. This well will share location with the 16G-2-8-21. The wells will be 75' apart. These wells will share the reserve pit, and a liner will not be necessary in this pit.

Reviewer: David W. Hackford
Date: 9/5/2000

Conditions of Approval/Application for Permit to Drill:

None

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: SHENANDOAH ENERGY, INC.
WELL NAME & NUMBER: WVFU 16W-2-8-21
API NUMBER: 43-047-33645
LEASE: STATE FIELD/UNIT: WONSITS VALLEY
LOCATION: 1/4, 1/4 SE/SE SEC: 2 TWP: 8S RNG: 21E
660' F E L 660' F S L
LEGAL WELL SITING: Statewide 400 foot window in center of 40
acre tract and no closer than 920 feet from
another well.
GPS COORD (UTM): 12626480E 4445490N
SURFACE OWNER: SITLA

PARTICIPANTS:

JOHN BUSCH, (SHENANDOAH). DAVID HACKFORD, (DOGM).

REGIONAL/LOCAL SETTING & TOPOGRAPHY:

SITE IS IN AN AREA OF LOW ROLLING HILLS AND SHALLOW DRAWS
DRAINING WEST TOWARD THE GREEN RIVER THREE MILES AWAY. A ROCKY
RIDGE RUNNING NORTH TO SOUTH IS 0.5 MILES TO THE EAST.

SURFACE USE PLAN:

CURRENT SURFACE USE: WILDLIFE AND LIVESTOCK GRAZING.
HUNTING.

PROPOSED SURFACE DISTURBANCE: LOCATION WOULD BE 325' BY 240'
AND ACCESS ROAD WOULD BE 100 FEET.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: SEE
ATTACHED MAP FROM GIS DATABASE

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: _____
ALL PRODUCTION FACILITIES WILL BE ON LOCATION AND
CONSTRUCTED AFTER WELL IS DRILLED AND COMPLETED. THE
PIPELINE TO THIS BATTERY WILL FOLLOW ACCESS ROAD.

SOURCE OF CONSTRUCTION MATERIAL: ALL CONSTRUCTION MATERIAL
WILL BE BORROWED FROM SITE DURING CONSTRUCTION OF LOCATION.

ANCILLARY FACILITIES: NONE WILL BE REQUIRED.

WASTE MANAGEMENT PLAN:

DRILLED CUTTINGS WILL BE SETTLED INTO RESERVE PIT. LIQUIDS FROM PIT WILL BE ALLOWED TO EVAPORATE. FORMATION WATER WILL BE CONFINED TO STORAGE TANKS. SEWAGE FACILITIES, STORAGE AND DISPOSAL WILL BE HANDLED BY COMMERCIAL CONTRACTOR. TRASH WILL BE CONTAINED IN TRASH BASKETS AND HAULED TO AN APPROVED LAND FILL.

ENVIRONMENTAL PARAMETERS:

AFFECTED FLOODPLAINS AND/OR WETLANDS: NONE

FLORA/FAUNA: NATIVE GRASSES, HORSEBRUSH, PRICKLY PEAR, CHEAT GRASS, GREASEWOOD, RUSSIAN THISTLE: RODENTS, COYOTES, SONG-BIRDS, RAPTORS, PRONGHORN, DEER.

SOIL TYPE AND CHARACTERISTICS: LIGHT SANDY CLAY.

EROSION/SEDIMENTATION/STABILITY: VERY LITTLE NATURAL EROSION. SEDIMENTATION AND STABILITY ARE NOT A PROBLEM AND LOCATION CONSTRUCTION SHOULDN'T CAUSE ANY INCREASE IN STABILITY OR EROSION PROBLEMS.

PALEONTOLOGICAL POTENTIAL: NONE OBSERVED.

RESERVE PIT:

CHARACTERISTICS: 150' BY 70' AND 8' DEEP.

LINER REQUIREMENTS (Site Ranking Form attached): A LINER WILL NOT BE REQUIRED FOR RESERVE PIT.

SURFACE RESTORATION/RECLAMATION PLAN:

AS PER STATE OF UTAH.

SURFACE AGREEMENT: STATE LAND.

CULTURAL RESOURCES/ARCHAEOLOGY: SITE WAS INSPECTED BY SENCO-PHENIX ARCHAEOLOGICAL CONSULTANTS. A REPORT OF THIS INVESTIGATION WILL BE PLACED ON FILE.

OTHER OBSERVATIONS/COMMENTS:

THE PRE-DRILL INVESTIGATION TOOK PLACE ON 9/5/2000, A WARM, CLEAR DAY. THIS LOCATION WILL HAVE TWO WELLS, THE 16W-2-8-21 AND THE 16G-2-8-21.

ATTACHMENTS:

PHOTOS OF SITE WILL BE PLACED ON FILE.

DAVID W. HACKFORD
DOGM REPRESENTATIVE

9/5/2000-10:30 AM
DATE/TIME


**Evaluation Ranking Criteria and Ranking Score
For Reserve and On-site Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>5</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>0</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	15	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>0</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	15	
TDS >10000 or Oil Base	20	
Mud Fluid containing high levels of hazardous constituents		<u>5</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>0</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility		
Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>0</u>
Final Score		<u>10</u>

UTAH DIVISION OF WATER RIGHTS
WATER RIGHT POINT OF DIVERSION PLOT CREATED THU, SEP 7, 2000, 10:27 AM
PLOT SHOWS LOCATION OF 1 POINTS OF DIVERSION

PLOT OF AN AREA WITH A RADIUS OF 10000 FEET FROM A POINT
FEET, FEET OF THE CT CORNER,
SECTION 2 TOWNSHIP 8S RANGE 21E SL BASE AND MERIDIAN

PLOT SCALE IS APPROXIMATELY 1 INCH = 4000 FEET








UTAH DIVISION OF WATER RIGHTS
NWPLAT POINT OF DIVERSION LOCATION PROGRAM

MAP CHAR	WATER RIGHT	QUANTITY CFS	AND/OR AC-FT	SOURCE DESCRIPTION or WELL INFO DIAMETER	DEPTH	YEAR LOG	POINT OF DIVERSION DESCRIPTION NORTH	EAST	CNR	SEC	TWN	RNG	B&M
0	49 186	.0150	.00	6	40		S 1154	W 265	NE 12	8S	21E	SL	
WATER USE(S): DOMESTIC STOCKWATERING										PRIORITY DATE: 09/10/195			
Hall, Louie										Ouray			











Well name:

9-00 Shenandoah WV #16W-2-8-21

Operator: **Shenandoah**String type: **Surface**

Project ID:

43-047-33645

Location: **Uintah Co.****Design parameters:****Collapse**Mud weight: 8.330 ppg
Design is based on evacuated pipe.**Minimum design factors:****Collapse:**

Design factor 1.125

Burst:

Design factor 1.00

Environment:H2S considered? No
Surface temperature: 75 °F
Bottom hole temperature: 81 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 220 ft

Cement top: 0 ft

BurstMax anticipated surface
pressure: 0 psi
Internal gradient: 0.433 psi/ft
Calculated BHP 195 psi

No backup mud specified.

Tension:8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Tension is based on buoyed weight.

Neutral point: 395 ft

Non-directional string.

Re subsequent strings:Next setting depth: 6,300 ft
Next mud weight: 8.330 ppg
Next setting BHP: 2,726 psi
Fracture mud wt: 19.250 ppg
Fracture depth: 6,300 ft
Injection pressure 6,300 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	450	9.625	36.00	K-55	LT&C	450	450	8.765	32
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	195	2020	10.37	195	3520	18.08	14	489	34.43 J

Prepared RJK
by: Utah Dept. of Natural ResourcesDate: September 8, 2000
Salt Lake City, Utah**ENGINEERING STIPULATIONS: NONE**

Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Collapse is based on a vertical depth of 450 ft, a mud weight of 8.33 ppg. The casing is considered to be evacuated for collapse purposes.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:

9-00 Shenandoah WV #16W-2-8-21

Operator: **Shenandoah**String type: **Production**

Project ID:

43-047-33645

Location: **Uintah Co.****Design parameters:****Collapse**Mud weight: 9.250 ppg
Design is based on evacuated pipe.**Minimum design factors:****Collapse:**

Design factor 1.125

Burst:

Design factor 1.00

Environment:H2S considered? No
Surface temperature: 75 °F
Bottom hole temperature: 193 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 220 ft

Cement top: 450 ft

BurstMax anticipated surface
pressure: 0 psi
Internal gradient: 0.481 psi/ft
Calculated BHP 4,060 psi

No backup mud specified.

Tension:8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Non-directional string.

Tension is based on buoyed weight.

Neutral point: 7,282 ft

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	8450	4.5	11.60	J-55	LT&C	8450	8450	3.875	195.9
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	4060	4960	1.22	4060	5350	1.32	84	162	1.92 J

Prepared RJK
by: Utah Dept. of Natural ResourcesDate: September 8, 2000
Salt Lake City, Utah**ENGINEERING STIPULATIONS: NONE**


Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Collapse is based on a vertical depth of 8450 ft, a mud weight of 9.25 ppg. The casing is considered to be evacuated for collapse purposes.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

00 Shenandoah WV #16W-28-21
Casing Schematic



WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 08/10/2000

API NO. ASSIGNED: 43-047-33645

WELL NAME: WVFU 16W-2-8-21

OPERATOR: SHENANDOAH ENERGY INC (N4235)

CONTACT: JOHN BUSCH

PHONE NUMBER: 435-781-4341

PROPOSED LOCATION:

SESE 02 080S 210E

SURFACE: 0660 FSL 0660 FEL

BOTTOM: 0660 FSL 0660 FEL

UINTAH

WONSITS VALLEY (710)

LEASE TYPE: 3-State

LEASE NUMBER: ML-2785

SURFACE OWNER: 3-State

PROPOSED FORMATION: WSTC

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering	<i>JSK</i>	9-8-00
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

☒ Plat
☒ Bond: Fed[] Ind[] Sta[3] Fee[]
(No. U89758059)
☒ Potash (Y/N)
☒ Oil Shale (Y/N) *190 - 5 (B)
☒ Water Permit
(No. 43-8496)
☒ RDCC Review (Y/N)
(Date: _____)
☒ Fee Surf Agreement (Y/N)

LOCATION AND SITING:

☐ R649-2-3. Unit Wonsits Valley
☒ R649-3-2. General
Siting: _____
☐ R649-3-3. Exception
☒ Drilling Unit
Board Cause No: 1116-1 * Enh. Rec.
Eff Date: 7-20-05
Siting: Not Specified / Gen. St
☐ R649-3-11. Directional Drill

COMMENTS:

Need Presite. (Conducted 9-5-2000)
with Sop, separate file.

STIPULATIONS:

① STATEMENT OF BASIS



COUNTY: UINTAH UNIT: WONSITS VALLEY
CAUSE: 116-1 (ENH REC)





State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

September 11, 2000

Shenandoah Energy, Inc.
11002 E 17500 S
Vernal, UT 84078


Re: Wonsits Valley Federal Unit 16W-2-8-21 Well, 660' FSL, 660' FEL, SE SE, Sec. 2,
T. 8 South, R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33645.

Sincerely,



John R. Baza
Associate Director

er

Enclosures

cc: Uintah County Assessor

SITLA

Bureau of Land Management, Vernal Field Office

Operator: Shenandoah Energy, Inc.
Well Name & Number Wonsits Valley Federal Unit 16W-2-8-21
API Number: 43-047-33645
Lease: ML-2785

Location: SE SE **Sec.** 2 **T.** 8 South **R.** 21 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Robert Krueger at (801) 538-5274 (plugging)
- Carol Daniels at (801) 538-5284 (spud)

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.

5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐

b. TYPE OF WELL

OIL

WELL ☐

GAS

WELL ☒

OTHER

SINGLE

ZONE

☒

MULTIPLE

ZONE

☐

2. NAME OF OPERATOR

Shenandoah Energy Inc.

1. ADDRESS AND TELEPHONE NO Phone: 435-781-4341
Fax: 435-781-432911002 East 17500 South
Vernal, Utah 84078

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface

660' FSL 660' FEL, SESE
At proposed PROD. ZONE

Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

11 miles West of Redwash Utah

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST

660' ±

16. NO. OF ACRES IN LEASE

602

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING COMPLETED,
OR APPLIED FOR ON THIS LEASE, FT.

1200' ±

19. PROPOSED DEPTH

8450

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DP, RT, GR, etc.)

5003.8'

22. APPROX. DATE WORK WILL START*

A.S.A.P

23. PROPOSED CASING AND CEMENTING PROGRAM

REFER TO S.O.P

Shenandoah Energy Inc. proposes to drill a well to 8450' to test the Wasatch. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Operations will be according to the Standard Operating Procedures for the Wonsits Valley Unit.

See Onshore Order No. 1 attached.

Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. U-89-75-80-59. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed to be deepened, give data on present productive zone and proposed new productive zone. If proposed to be drilled or deepened, give pertinent data on subsurface geology and structure and true vertical depth. Give mineral production program if any.

24

SIGNED

John Busch John Busch

TITLE Red Wash Operations Representative

DATE 8/8/00

(This space for Permit or State office use)

PERMIT NO.

APPROVAL DATE

Application approved does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would enable the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

APPROVED BY BLM FOR
UNIT PURPOSES ONLY

TITLE

DATE

SEP 18 2000

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DOGM

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas
☐ Well ☐ Well ☒ Other

2. Name of Operator

SHENANDOAH ENERGY INC.

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment ☐ Change of Plans
☐ Recompletion ☐ New Construction
☐ Plugging Back ☐ Non-Routine Fracturing
☐ Casing Repair ☐ Water Shut-Off
☐ Altering Casing ☐ Conversion to Injection
☒ Other Confidential ☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Shenandoah Energy Inc. would like to have the attached wells be kept confidential.

RECEIVED

OCT 11 2000

**DIVISION OF
OIL, GAS AND MINING**

14. I hereby certify that the foregoing is true and correct.

Signed **JOHN BUSCH** John Busch

Title **Operations Supervisor**

Date **10/9/00**

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

WELL NAME WELL LOCATION 1/4 1/4 SEC. SECTION TOWNSHIP RANGE API#

Red Wash	2220B**	SE NW	20	7S	23E	43-047-33491
Red Wash	4220B*	SE NE	20	7S	23E	43-047-33490
Red Wash	1320B*	NW SW	20	7S	23E	43-047-33498
Red Wash	3320B++	NW SE	20	7S	23E	43-047-33500
Red Wash	2221B	SE NW	21	7S	23E	43-047-33522
Red Wash	2419B	SE SW	19	7S	23E	43-047-33492
Red Wash	4419B	SE SE	19	7S	23E	43-047-33524
Wonsits Valley	6W-16-8-21	SE NW	16	8S	21E	43-047-33527
Gypsum Hills	10W-19-8-21	NW SE	19	8S	21E	43-047-33528
Wonsits Valley	16W-9-8-21	SE SE	9	8S	21E	43-047-33529
Wonsits Valley	6G-16-8-21	SE NW	16	8S	21E	43-047-33564
Gypsum Hills	10G-19-8-21	NW SE	19	8S	21E	43-047-33566
Wonsits Valley	16G-9-8-21	SE SE	9	8S	21E	43-047-33565
Red Wash	2420B	SE SW	20	7S	23E	43-047-33523
Red Wash	1319B	NW SW	19	7S	23E	43-047-33497
Red Wash	3319B	NW SE	19	7S	23E	43-047-33499
Red Wash	4420B	SE SE	20	7S	23E	43-047-33525
Red Wash	4219B	SE NE	19	7S	23E	43-047-33556
Red Wash	2219B	SE NW	19	7S	23E	43-047-33559
Red Wash	4224A	NE SE	24	7S	22E	43-047-33569
Red Wash	3424A	SW SE	24	7S	22E	43-047-33567
Red Wash	2324A	NE SW	24	7S	22E	43-047-33568
Red Wash	2125A	NE NW	25	7S	22E	43-047-33576
Red Wash	4125A	NE NE	25	7S	22E	43-047-33579
Red Wash	1119B	NW NW	19	7S	23E	43-047-33552
Red Wash	3119B	NW NE	19	7S	23E	43-047-33555
Red Wash	1120B	NW NW	20	7S	23E	43-047-33553
Red Wash	2418B	SE SW	18	7S	23E	43-047-33554
Red Wash	3413A	SW SE	13	7S	22E	43-047-33593
Red Wash	2124A	NE NW	24	7S	22E	43-047-33592
Red Wash	1224A	SW NW	24	7S	22E	43-047-33591
Red Wash	1125A	NW NW	25	7S	22E	43-047-33574
Red Wash	1325A	NW SW	25	7S	22E	43-047-33575
Red Wash	3125A	NW NE	25	7S	22E	43-047-33577
Red Wash	3325A	NW SE	25	7S	22E	43-047-33578
Red Wash	4225A	SE NE	25	7S	22E	43-047-33580
Red Wash	4418B	SE SE	18	7S	23E	43-047-33594
Red Wash	1129B	NW NW	29	7S	23E	43-047-33590
Wonsits Valley	9G-2-8-21	NE SE	2	8S	21E	43-047-33647
Wonsits Valley	9W-2-8-21	NE SE	2	8S	21E	43-047-33648
Wonsits Valley	16G-2-8-21	SE SE	2	8S	21E	43-047-33646
Wonsits Valley	16W-2-8-21	SE SE	2	8S	21E	43-047-33645
Wonsits Valley	15W-9-8-21	SW SE	9	8S	21E	43-047-33661
Wonsits Valley	15G-9-8-21	SW SE	9	8S	21E	43-047-33662
Wonsits Valley	2W-10-8-21	NW NE	10	8S	21E	43-047-33655
Wonsits Valley	2G-10-8-21	NW NE	10	8S	21E	43-047-33656
Wonsits Valley	12W-10-8-21	NW SW	10	8S	21E	43-047-33656

33568
33567

RECEIVED

OCT 11 2000

DIVISION OF
OIL, GAS AND MINING

Wonsits Valley	12G-10-8-21	NW SW	10	8S	21E	43-047-33660
Wonsits Valley	4W-11-8-21	NW NW	11	8S	21E	43-047-33657
Wonsits Valley	4G-11-8-21	NW NW	11	8S	21E	43-047-33658
Wonsits Valley	2W-16-8-21	NW NE	16	8S	21E	43-047-33246
Wonsits Valley	2G-16-8-21	NW NE	16	8S	21E	43-047-33247
Wonsits Valley	12W-16-8-21	NW SW	16	8S	21E	43-047-33649
Wonsit Valley	12G-16-8-21	NW SW	16	8S	21E	43-047-33650
Red Wash	33U-19B	NW SE	19	7S	23E	43-047-33654
Red Wash	14-27A	SWSW	27	7S	22E	43-047-33150
Wonsits Valley	WV 1W-18-8-22	NE NE	18	8S	22E	43-047-33294
Wonsits Valley	WV 11W-8-8-22	NE SW	8	8S	22E	43-047-33295
Wonsits Valley	WV 5W-13-8-21	SW NW	13	8S	21E	43-047-33221
Wonsits Valley	WV 9W-13-8-21	NE SE	13	8S	22E	43-047-33223
Wonsits Valley	WV 7W-13-8-21	SW NE	13	8S	22E	43-047-33270
Wonsits Valley	WV 3W-8-8-22	NE NW	8	8S	22E	43-047-33493
Wonsits Valley	WV 5W-7-8-22	SW NW	7	8S	22E	43-047-33494
Wonsits Valley	WV 1W-14-8-21	NE NE	14	8S	21E	43-047-33220
Wonsits Valley	WV 11W-7-8-22	NE SW	7	8S	22E	43-047-33495
Wonsits Valley	WV 13W-7-8-22	SW SW	7	8S	22E	43-047-33496
Wonsits Valley	WV 7W-7-8-22	SW NE	7	8S	22E	43-047-33503
Wonsits Valley	WV 9W-12-8-21	NE SE	12	8S	21E	43-047-33534
Wonsits Valley	WV 3W-7-8-22	NE NW	7	8S	22E	43-047-33502
Wonsits Valley	WV 1W-13-8-21	NE NE	13	8S	21E	43-047-33532
Wonsits Valley	WV 11W-12-8-21	NE SW	12	8S	21E	43-047-33535
Wonsits Valley	WV 1W-7-8-22	NE NE	7	8S	22E	43-047-33501
Wonsits Valley	WV 1W-12-8-21	NE NE	12	8S	21E	43-047-33531
Wonsits Valley	Fed 9W-8-8-22	NE SE	8	8S	22E	43-047-33515
Wonsits Valley	WV 13W-12-8-21	SW SW	12	8S	21E	43-047-33537
Wonsits Valley	WV 3W-18-8-22	NE NW	18	8S	22E	43-047-33533
Wonsits Valley	WV 11W-13-8-21	NE SW	13	8S	21E	43-047-33536
Wonsits Valley	Fed 15W-8-8-22	SW SE	8	8S	22E	43-047-33517
Gypsum Hills	GH 1W-32-8-21	NE NE	32	8S	21E	43-047-33570
Gypsum Hills	GH 7W-32-8-21	SW NE	32	8S	21E	43-047-33573
Wonsits Valley	WV 3W-24-8-21	NE NW	24	8S	21E	43-047-33605
Gypsum Hills	GH 5W-32-8-21	SW NW	32	8S	21E	43-047-33572
Gypsum Hills	GH 3W-32-8-21	NE NW	32	8S	21E	43-047-33571
Wonsits Valley	WV 13W-18-8-22	SW SW	18	8S	22E	43-047-33538
Wonsits Valley	WV 15W-13-8-21	SW SE	13	8S	21E	43-047-33608
Wonsits Valley	WV 3W-13-8-21	NE NW	13	8S	21E	43-047-33603
Wonsits Valley	WV 13W-13-8-21	SW SW	13	8S	21E	43-047-33606
Wonsits Valley	WV 1W-21-8-21	NE NE	21	8S	21E	43-047-33602
Wonsits Valley	WV 9W-14-8-21	NE SE	14	8S	21E	43-047-33269
Glen Bench	GB 5W-17-8-22	SW NW	17	8S	22E	43-047-33514
Wonsits Valley	WV 1W-24-8-21	NE NE	24	8S	21E	43-047-33613
Wonsits Valley	WV 3W-22-8-21	NE NW	22	8S	21E	43-047-33604
Glen Bench	GB 9W-18-8-22	NE SE	18	8S	22E	43-047-33516
Wonsits Valley	WV 13W-14-8-21	SW SW	14	8S	21E	43-047-33607
Glen Bench	GB 3W-17-8-22	NE NW	17	8S	22E	43-047-33513
Wonsits Valley	WV 11W-18-8-22	NE SW	18	8S	22E	43-047-33626

OCT 11 2000

DIVISION OF
OIL, GAS AND MINING

RECEIVED

Glen Bench	GB 3W-22-8-22	NE NW	22	8S	22E	43-047-33652
Glen Bench	GB 12W-30-8-22	NW SW	30	8S	22E	43-047-33670
White River	WR 13W-3-8-22	SW SW	3	8S	22E	43-047-33651

RECEIVED

OCT 11 2000

DIVISION OF
OIL, GAS AND MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CONFIDENTIAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

FORM APPROVED

Budget Bureau No. 1004-0135

Expires March 31, 1993

5. Lease Designation and Serial No.

ML-2785

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Wonsits Valley Federal Unit

8. Well Name and No.

WVFU 16W-2-8-21

9. API Well No.

43-047-33645

10. Field and Pool, or Exploratory Area

Wonsits Valley - Wasatch

11. County or Parish, State

UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☐

Well

☒

Well

☐

Other

CONFIDENTIAL

2. Name of Operator

SHENANDOAH ENERGY INC.

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

(801) 781-4306

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL, 660' FEL, SE SE, SECTION 2, T8S, R21E, SLBM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other SPUD DATE

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THIS WELL WAS SPUD NOVEMBER 22, 2000. DRILL 12 1/4" HOLE TO 482'. RUN 11 JTS OF 9 5/8" 36# K-55 CSG.

RECEIVED

DEC 20 2000

DIVISION OF
OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct.

Signed D. C. Beaman

Title Office Manager

Date 12/18/00

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

State of Utah
Division of Oil, Gas and Mining

ENTITY ACTION FORM - FORM 6

OPERATOR: **Shenandoah Energy, Inc.**
ADDRESS: **11002 East 17500 South
Vernal, Utah 84078-8526**

OPERATOR ACCT. No. 4235

(801)781-4300

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	SC	TP	RG	County	Spud Date	Effective Date
B	99999	12436	43-047-33645	WVFU 16W 2 8 21	SE SE	2	8S	21E	Uintah	11/22/00	11-22-00
WELL 1 COMMENTS: New well to be drilled in Wonsits Valley. 12-26-00											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

CONFIDENTIAL

W. C. Beaman
Signature

Office Manager. 12/18/00
Title Date

Phone No. (801) 781-4306

RECEIVED

DEC 20 2000

DIVISION OF
OIL, GAS AND MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☐

Well

☒

Well

☐

Other

CONFIDENTIAL

2. Name of Operator

SHENANDOAH ENERGY INC.

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

(801) 781-4306

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL, 660' FEL, SE SE, SECTION 2, T8S, R21E, SLBM

5. Lease Designation and Serial No.

ML-2785

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Wonsits Valley Federal Unit

8. Well Name and No.

WVFU 16W-2-8-21

9. API Well No.

43-047-33645

10. Field and Pool, or Exploratory Area

Wonsits Valley - Wasatch

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other **FIRST PRODUCTION**

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THIS WELL COMMENCED PRODUCTION JANUARY 29, 2001.

14. I hereby certify that the foregoing is true and correct.

Signed **D. C. Beaman**

Title **Office Manager**

Date **01/30/01**

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

Form 3160-4
(August 1999)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB No. 1004-0137
Expires November 30, 2000

1a. Type of Well: ☐ Oil Well ☒ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☒ New Well ☐ Workover ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____

2. Name of Operator
SHENANDOAH ENERGY INCCONTACT: J.T. CONLEY
EMAIL: jconley@shenandoahenergy.com3. Address **11002 EAST 17600 SOUTH
VERNAL, UT 84078**3a. Phone No. (include area code)
TEL: 435.781.4300 EXT: 301

4. Location of Well (Report location clearly and in accordance with Federal Requirements)*

At Surface **SESE 660FSL 660FEL**At top prod. interval reported below **SESE 660FSL 660FEL**At total depth **SESE 660FSL 660FEL****CONFIDENTIAL**5. Lease Serial No.
ML-2785

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.
891008482X8. Lease Name and Well No.
WVFU #16W-2-8-219. API Well No.
430473364510. Field and Pool, or Exploratory
WONSITS VALLEY11. Sec., T., R., M., on Block and
Survey or Area **Sec 2 T8S R21E SLB**12. County or Parish
UINTAH13. State
UT14. Date Spudded
11/22/0015. Date T.D. Reached
12/16/0016. Date Completed **1/28/01**
☐ D & A ☐ Ready to Prod.17. Elevations (DF, RKB, RT, GL)*
5004 GL18. Total Depth: **MD 8170
TVD**19. Plug Back T.D.: **MD 8130
TVD**20. Depth Bridge Plug Set: **MD
TVD**21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
DUAL LATERLOG, DIPOLE SONIC, CBL-VDL
1-9-01 1-9-0122. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.25	9.625 K-65	36	0	476		175		0	
7.875	5.5 N-80	17	0	798		0			
7.875	5.5 J-55	15.5	798	6720		0			
7.875	5.5 N-80	17	6720	8130		1915		1710	

24. Tubing Record

Size	Depth Set(MD)	Packer Depth(MD)	Size	Depth Set(MD)	Packer Depth(MD)	Size	Depth Set(MD)	Packer Depth(MD)
2.375	7561							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WASATCH	7132	7598	7132 To 7598			OPEN
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
6560 To 6572	CEMENT SQZ WITH 75 SXS
6788 To 6808	CEMENT SQZ WITH 50 SXS
7132 To 7141	SAND FRAC WITH 40000 LBS IN 22000 GALS
7574 To 7598	SAND FRAC WITH 70000 LBS IN 34400 GALS

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
1/29/01	1/29/01	24	→	0	292	8			FLOWS FROM WELL
Choke Size	Ibg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
48/64		600	→					PRODUCING GAS WELL	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Ibg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

(See instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #4088 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE

ON 02-28-02

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Description, Contents, etc.	Name	Top
					Meas. Depth
WASATCH WASATCH(2)	7132 7674	7141 7698	PERFS PERFS	GREEN RIVER MAHOGANY WASATCH	2896 3643 6470
CONFIDENTIAL					

32. Additional remarks (include plugging procedure):

CONFIDENTIAL - TITE HOLE**Do not release well information without permission from Shenandoah Energy Inc.**

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.)
2. Geologic Report
3. DST Report
4. Directional Survey
5. Sundry Notice for plugging and cement verification
6. Core Analysis
7. Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Name (please print)

J.T. Conley

Title

District Manager

Signature

J.T. Conley

Date

05-08-01

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ELECTRONIC SUBMISSION #4088 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. ML-2785
2. Name of Operator SHENANDOAH ENERGY		6. If Indian, Allottee or Tribe Name N/A
3a. Address 11002 E. 17500 S. VERNAL, UT 84078		7. If Unit or CA/Agreement, Name and/or No. 891008482X
3b. Phone No. (include area code) Ph: 435.781.4342 Fx: 435.828.5044		8. Well Name and No. WV 16W 2 8 21
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 2 T8S R21E SESE 660FSL 660FEL		9. API Well No. 43-047-33645
		10. Field and Pool, or Exploratory WONSITS VALLEY
		11. County or Parish, and State UINTAH COUNTY, UT


12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

We intend to recompleate the Wasatch gas well to the Green River Foundation. Proposed procedure as follows:


- 1 - Set a CIBP @ 7100' & cap with 30'-40' of cement.
- 2 - Set a second CIBP above squeezed Wasatch perms @ 6500'. Cap this plug with 20' of cement.
- 3 - Pressure test csg to 1000 psig to insure plug/csg integrity.
- 4 - Perforate the G-1 Lime interval.
- 5 - Acidize the G-1 Lime.
- 6 - Run pump & rods and turn over to production.


14. I hereby certify that the foregoing is true and correct. Electronic Submission #10330 verified by the BLM Well Information System For SHENANDOAH ENERGY, sent to the Vernal	
Name (Printed/Typed) JIM SIMONTON	Title COMPLETION MANAGER
Signature  (Electronic Submission)	Date 02/08/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 2/22/02
BY: 

COPY SENT TO OPERATOR
Date: 2-22-02
Initials: 

CONFIDENTIAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other
instructions on
reverse side).

Form approved
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

DRY ☐

Other ☐

b. TYPE OF COMPLETION

NEW
WELL ☐

WORK
OVER ☐

DEEP-
EN ☐

PLUG
BACK ☐

DIFF.
RESV. ☒

Other ☐

2. NAME OF OPERATOR

Shenandoah Energy Inc.

3. ADDRESS OF OPERATOR

11002 E. 17500 S. VERNAL, UT 84078-8526

435-781-4342

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 660' FSL, 660' FEL (SESE)

At top rod. interval reported below

SAME

At total depth

SAME

14. PERMIT NO.

43-047-33645

DATE ISSUED

2-22-02

12. COUNTY OR
PARISH

Uintah

13. STATE

UT

15. DATE SPUDDED

16. DATE T.D. REACHED

6,465'

17. DATE COMPL. (Ready to prod.)

3-12-02

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

5,019' KB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

8,170'

21. PLUG BACK T.D., MD & TVD

6,465'

22. IF MULTIPLE COMPL.,
HOW MANY*

23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

X

24. PRODUCING INTERVAL(S) (If no completion, TOP, BOTTOM, NAME (MD AND TVD)*)

G-1 Lime Top: 5652'

G-1 Lime Base: 5670'

G-1 Sand Top: 5671'

G-1 Sand Base: 5688'

GRAV per BGH

RECEIVED

APR 18 2002

25. WAS DIRECTIONAL
SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

None

DIVISION OF

27. WAS WELL CORED

CASING RECORD (Report all strings set in well)						AMOUNT PULLED
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		None
5 1/2"	15.5# & 17#	8170'	7 7/8"	1915 sxs		

LINER RECORD				TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	5722'	

31. PERFORATION RECORD (Interval, size and number)

5,652' - 5,666' w/4 spf (Prospector)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)

5652' - 5666'

AMOUNT AND KIND OF MATERIAL USED

22,300 gals 15% gelled HCl

33.*

PRODUCTION

DATE FIRST PRODUCTION

3-13-02

PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)

Pumping - 2 1/2 x 1 1/4 x 12 x 16 RHAC

WELL STATUS (Producing or shut-in)

Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3-14-02	24			2	0	240	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF	WATER—BBL.	OIL GRAVITY-API (CORR.)	
50	30		2	0	240		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Used for Fuel

TEST WITNESSED BY

Guy Betts

35. LIST OF ATTACHMENTS

Wellbore Diagram

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Completion Manager

DATE

4/10/02

(See Instructions and Spaces for Additional Data on Reverse Side)

C: BCM-3; UOG+M-2; Denver-1; J. Conley-1; R. Detrik-1, File, Series

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE
(See other instructions on reverse side).

Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL

OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION

NEW WELL ☐ WORK OVER ☐ DEEP-ENT ☐ PLUG BACK ☐ DIFF RESVR ☒ Other ☐

2. NAME OF OPERATOR
Shenandoah Energy Inc.

3. ADDRESS OF OPERATOR
11002 E. 17500 S. VERNAL, UT 84078-8526 435-781-4342

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 660' FSL, 660' FEL (SESE)

At top rod. interval reported below SAME

At total depth SAME

14. PERMIT NO.
43-047-33645

DATE ISSUED
2-22-02

12. COUNTY OR PARISH
Uintah

13. STATE
UT

15. DATE SPUDED

16. DATE T.D. REACHED
6.465'

17. DATE COMPL. (Ready to prod.)
3-12-02

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*
5,019' KB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

8.170'

21. PLUG BACK T.D., MD & TVD

6.465'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY
ROTARY TOOLS
X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

G-1 Lime Top: 5652'
G-1 Lime Base: 5670'
G-1 Sand Top: 5671'
G-1 Sand Base: 5688'

GRAPV per BGH

APR 18 2002

25. WAS DIRECTIONAL SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN
None

DIVISION OF

27. WAS WELL CORED

CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
5 1/2"	15.5# & 17#	8170'	7 7/8"	1915 sxs	None

LINER RECORD				TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)
					2 7/8"	5722'

31. PERFORATION RECORD (Interval, size and number)
5,652' - 5,666' w/4 spf (Prospector)

ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5652' - 5666'	22,300 gals 15% gelled HCl

PRODUCTION							WELL STATUS (Producing or shut-in)
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					Producing
3-13-02		Pumping - 2 1/2 x 1 1/4 x 12 x 16 RHAC					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3-14-02	24			2	0	240	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF	WATER—BBL	OIL GRAVITY-API (CORR.)	
50	30		2	0	240		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Used for Fuel

TEST WITNESSED BY
Guy Betts

35. LIST OF ATTACHMENTS
Wellbore Diagram

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Completion Manager

DATE

4/10/02

(See Instructions and Spaces for Additional Data on Reverse Side)

C: BCM-3; UOG+M-2; Denver-1; J. Conley-1; R. Detrik-1; File, Series

FIELD: Wonsits Valley

GL: 5,004 ' KBE: 5019 '

Start Date: 2-26-02

Finish Date: 3-12-02

Well: WV #16W-2-8-21

TD: 8,170 ' PBTD: 6465 '

Current Well Status: Pumping oil well

Location:

SE 1/4 SE 1/4 S2-T8S-R21E

API #: 43-047-33645

Utah County, Utah

Reason for Pull/Workover:

Recomplete as a G-1 Line oil well

Wellbore
Schematic

Surface casing

Size: 9 5/8"

Weight 36#

Grade:

Cmtd w/ 175 sxs

Hole size: 12 1/4"

Set @ 475'

EXCLUDED PERFS

TOC @ 1710 '

OPEN PERFS

T" anchor @ 5646'

5652' - 5666' w/4 spf
Acidized w/22,300 gals. 15% HCl
PSN @ 5680'
EOT @ 5723'35' cement - PBTD @ 6465'
CIBP @ 6500'

6560'-6572' Wasatch Sqzd

6788'-6808' Wasatch Sqzd

35' cement
CIBP @ 7100'

7132'-7141' Wasatch

7574'-7598' Wasatch

Production Casing

Size: 5 1/2"

Weight 15.5 & 17#, N-80 & J-55

Cmtd w/ 1915 sxs

Set @ 8170'

Hole size 7 7/8"

PBTD @ 6465 '

TD @ 8170 '

Tubing Landing Detail:

Description	Size	Footage	Depth
KB		15.00	15.00
Stretch		1.50	16.50
173 jts.	2-7/8"	5,627.15	5,643.65
"T" anchor	5-1/2"	2.63	5,646.28
1 jt.	2-7/8"	32.50	5,678.78
PSN	2-7/8"	1.10	5,679.88
1 jt.	2-7/8"	32.52	5,712.40
4' perf pup jt.	2-7/8"	4.04	5,716.44
6' pup w/plain collar	2-7/8"	6.55	5,722.99

TUBING INFORMATION

Condition:

New: ☒ Used: ☐ Rerun: ☐

Grade: J-55

Weight (#/ft): 6.5

Sucker Rod Detail:

Size	#Rods	Rod Type
1-1/2" x 30'		Polish rod
7/8" x 2'		pony
7/8" x 4'		pony
7/8"	90	plain
3/4"	136	plain

Rod Information

Condition:

New: ☒ Used: ☐ Rerun: ☐

Grade:

Manufacture: Randy's

Pump Information:

API Designation 2.50" x 1.75" x 12 x 4 x 4 RHAC, 127" max stroke

Example: 25 x 150 x RHAC X 20 X 6 X 2

Pump SN# SR-76 Original Run D 3-12-02

RERUN NEW RUN ☒

ESP Well

Cable Size: SN @ 5646 '
Pump Intake @ PKR @ none
End of Pump @ EOT @ 5723 '

Flowing Well

Wellhead Detail:

7 1/16" 2000#

7 1/16" 3000#

7 1/16" 5000#

Other:

Hanger: Yes ☐ No ☒ - landed on B-1 adaptor

SUMMARY

Ran CBL/VDL logs. Perforate interval 7574'-7598'. Frac w/ Delta Frac 200 at ATR = 23.7 BPM, ATP = 1400 psig. SLF containing 70000# 20-40 sand in 34400 gals frac fluid w/ final sand concentration = 5 ppg. ISIP = 1860 psig

Perforate interval 7132'-7141'. Frac w/ Delta Frac 200 at ATR = 20.0 BPM, ATP = 2800 psig. SLF containing 40000# 20-40 sand in 22000 gals frac fluid w/ final sand concentration = 5 ppg. ISIP = 3300 psig

Perforate interval 6788'-6808'. Frac w/ Delta Frac 200 at ATR = 20.0 BPM, ATP = 1900 psig. SLF containing 70000# 20-40 sand in 31200 gals frac fluid w/ final sand concentration = 5 ppg. ISIP = 2050 psig

Perforate interval 6560'-6572'. Frac w/ Delta Frac 200 at ATR = 20.6 BPM, ATP = 1950 psig. SLF containing 50200# 20-40 sand in 23000 gals frac fluid w/ final sand concentration = 5 ppg. ISIP = 2000 psig

SI well overnite for natural closure. ONSICP = 1100 psig, well flowed ~299 bbls. RIH w/ 3 7/8" bit on pumpoff sub and r ew 2 3/8" prod tubing. C/O to PBTD. POOH, land prod tubing w/ EOT @ 7562'. Swab well in and flow to cleanup. Flowing and die intermittently for several days, well seems wet. Isolate perfs 6560' to 6808' and swab 85 BW w/ small gas show and trace oil. Swab 6788'-6808' and rec 119 BW w/ NO gas show. Sqz 6788'-6808' w/ 50 sxs cement. Sqz 6560'-6572' w/ 75 sxs cement. Drill out cement. POOH, land prod tubing w/ EOT @ 7562'. Swab for 4 days to kickoff well. Still seems wet or winpy.

Test on 20/64" choke w/ FTP = 150 psig and SICP = 440 psig.

Well IPF (02/11/01) @ 292 Mcfp/d, 0 bcpd, 8 bwpd on 48/64" choke w/ FTP= 240 psig, SICP= 500 psig. First Sales on 01/29/01.

Recompleted as a G-1 Line as of 3-12-02

Prepared By: J.Pennell

Date: 9-Apr-02

RECEIVED

APR 18 2002

DIVISION OF
OIL, GAS AND MINES

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

5. Lease Serial No.
ML2785

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
8910084820

8. Well Name and No.
WV 16W 2 8 21

9. API Well No.
43-047-33645

10. Field and Pool, or Exploratory
WONSITS VALLEY

11. County or Parish, and State
UINTAH COUNTY, UT

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
SHENANDOAH ENERGY INC. Contact: ANN PETRIK
E-Mail: apetrik@shenandoahenergy.com

3a. Address
11002 EAST 17500 SOUTH
VERNAL, UT 84078

3b. Phone No. (include area code)
Ph: 435.781.4306
Fx: 435.781.4329

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 2 T8S R21E SESE 660FSL 660FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Production Start-up
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

THIS WELL COMMENCED PRODUCTION ON 3/13/02.

Recompletion

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #11184 verified by the BLM Well Information System
For SHENANDOAH ENERGY INC., sent to the Vernal

Name (Printed/Typed) ANN PETRIK

Title ADMINISTRATIVE CONTACT

Signature (Electronic Submission)

Date 05/02/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

RECEIVED
MAY 03 2002
DIVISION OF
OIL GAS AND MINING

CONFIDENTIAL

DATE: 12/18/2002

SHENANDOAH ENERGY INC

Logs not received for wells completed

API NUMBER	WELL NAME	LOGS NEEDED
43 047 34122	GB 7W 25-8-21	COMP NEUTRON TL/GR, ARRAY INDUC W/LC-GR
43 047 34531	GB 7W 30-8-22	COMP NEUTRON-DENSITY, ARRAY INDUCTION, CBL-VDL
43 047 34532	GB 8W 30-8-22	COMPENSATED NEUTRON TLD
43 047 34533	GB 9W 30-8-22	DIPOLE SONIC IMAGER COMP ENUTRON GR, CBL
43 047 33754	GB 11W 16-8-22	SPECTRAL DENSITY DSN, HRI
43 047 34039	GB 11W 20-8-22	COMP NEUTRON TL/GR, ARRAY INDUC W/LC-GR
43 047 34327	GH 1W 20-8-21	MECH SIDEWALL CRG TOOL
43 047 33848	GH 15W 21-8-21	SPECTRAL DENSITY, DUAL LATERLOG
43 047 34573	OU GB 1W 29-8-22	CMT VOL, AI W/LC-GR, COMP NEUTRON TLD
43 047 34546	OU GB 3W 29-8-22	SPECTRAL DENSITY DSN
43 047 34549	OU GB 5W 29-8-22	MECH SDWLL CRG TL
43 047 34554	OU GB 14W 29-8-22	SECTOR BOND LOG, SPECTRA SCAN IMA
43 047 33591	RWU 12-24A	SPECTRAL DENSITY, HIRES INDUCTION
43 047 33766	RWU 22-29B	SPECTRAL DENSITY, HIRES INDUCTION
43 047 33567	RWU 23-24A	SPECTRAL DENSITY, HIRES INDUCTION
43 047 33788	RWU 31-30B	CBL-VDL
43 047 33771	RWU 42-30B	CBL-VDL
43 047 34006	WR 14W 4-8-22	MUD LOG
43 047 34106	WV 3G 10-8-21	CBL-VDL
43 047 34390	WV 15G 5-8-22	DIPOLE SONIC IMAGER - GR/CCL
43 047 34243	WV 2W 22-8-21	HIRES INDUCTION

43 047 34144	WV 4W 13-8-21	COMPENSATED DENSITY NEUTRON, ARRAY INDUCTION
43 047 33954	WV 5W 17-8-21	SPECTRAL DENSITY, HIRES INDUCTION
43 047 34246	WV 7W 15-8-21	CBL
43 047 34065	WV 7W 36-7-21	HR INDUCTION
43 047 34456	WV 10W 5-8-22	CBL
43 047 34279	WV 12W 14-8-21	MECH SCT
43 047 34251	WV 16W 15-8-21	CBL-VDL
43 047 33662	WVFU 15G 9-8-21	COMP NEUTRON DENS, ARRAY IND, MECH CORING
43 047 33602	WVFU 1W 21-8-21	CBL-VDL
43 047 33613	WVFU 1W-24-8-21	SPECTRAL DENSITY, DUAL LATERLOG
43 047 33603	WVFU 3W-13-8-21	SPECTRAL DENSITY, DUAL LATERLOG, CBL-VDL
43 047 33957	WVFU 8W-11-8-21	CBL-VDL
43 047 33793	WVFU 8W-13-8-21	CBL/GR
43 047 33269	WVFU 9W-14-8-21	SPECTRAL DENSITY, DUAL LATERLOG
43 047 33795	WVFU 10W-13-8-21	DIPOLE SONIC, CBL
43 047 33626	WVFU 11W-18-8-22	CBL-VDL
43 047 33606	WVFU 13W-13-8-21	DIPOLE SONIC, CBL-VDL
43 047 33607	WVFU 13W-14-8-21	DIPOLE SONIC, COMP NEUTRON
43 047 33645	WVFU 16W-2-8-21	DUAL LATERLOG

T08S R21E S2

From: Carol Daniels
To: raleen.searle@questar.com
Subject: Requesting logs for wells that have been completed

Hi Raleen,

I am attaching a list for logs we have not received for wells that have been completed. Any questions, please call me at 801-538-5284.

Thank you and have a Merry Christmas and a Happy New Year!



Questar Exploration and Production Company

Independence Plaza

1050 17th Street, Suite 500

Denver, CO 80265

Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named QEP Uinta Basin, Inc. pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 72	16	080S	210E	4304720058	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237A	159261960
WVU 73	16	080S	210E	4304720066	5265	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 78	16	080S	210E	4304720115	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0809	UT-0969
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 119	21	080S	210E	4304732461	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 120	22	080S	210E	4304732462	5265	Federal	WI	A		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-22158	UT-0969
WVU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-806	UT-0969
WVU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVU 146 WG	19	080S	220E	4304733128	12436	Federal	GW	P		WONSITS VALLEY	630	S	UINTAH	1	U-057	UT-0969
WVU 1W-14-8-21	14	080S	210E	4304733220	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 5W-13-8-21	13	080S	210E	4304733221	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-3084A	159261960
WVU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WVU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P		WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S		WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 14W-7-8-22	07	080S	220E	4304733816	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6WC-18-8-22	18	080S	220E	4304733843	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-06304	UT-0969
WVFU 1W-23-8-21	23	080S	210E	4304733904	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0809	UT-0969
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0810	UT-0969
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 11W-17-8-21	17	080S	210E	4304733912	13228	Federal	GW	P	WONSITS VALLEY	2	S	UINTAH	1 UTU-68219	UT-0969
WVFU 13W-11-8-21	11	080S	210E	4304733913	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-9617	UT-0969
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL C	WONSITS VALLEY	710	S	UINTAH	1 U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P	WONSITS VALLEY	2	S	UINTAH	3 ML-2785	159261960
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2785	159261960
WV 4W-17-8-22	17	080S	220E	4304734038	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-055	UT-0969
WV 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2785-A	159261960
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0802	UT-0969
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	U-0969
GH 2W-21-8-21	21	080S	210E	4304734141	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0804	U-0969
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0809	U-0969
GH 3W-21-8-21	21	080S	210E	4304734143	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0804	U-0969
WV 4W-13-8-21	13	080S	210E	4304734144	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
GH 4W-21-8-21	21	080S	210E	4304734145	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0804	UT-0969
WV 4W-22-8-21	22	080S	210E	4304734146	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0804	U-0969
WV 16W-11-8-21	11	080S	210E	4304734155	12436	Federal	GW	S	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 3W-19-8-22	19	080S	220E	4304734187	12436	Federal	GW	P	WONSITS VALLEY	630	S	UINTAH	1 UTU-057	UT-0969
WV 4W-23-8-21	23	080S	210E	4304734188	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-809	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-809	UT-0969
WV 11W-16-8-21	16	080S	210E	4304734190	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 13W-16-8-21	16	080S	210E	4304734191	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WV 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 4W-12-8-21	12	080S	210E	4304734268		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0806	UT-0969
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD C	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD C	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD C	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD C	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0807	UT-0969
WVU 5W-16-8-21	16	080S	210E	4304734321	12436	State	GW	DRL	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	UT-0969
WV 8W-22-8-21	22	080S	210E	4304734564	12436	Federal	GW	P	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	OW	TA	C	WONSITS VALLEY	710	S	UINTAH	1	U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 15G-7-8-22	07	080S	220E	4304734626		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV 11G-7-8-22	07	080S	220E	4304734627		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	OW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-02215	U-0969
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	C	WONSITS VALLEY	610	S	UINTAH	1	UTU-68219	UT-1237

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

2/1/2003**FROM: (Old Operator):**N4235-Shenandoah Energy Inc
11002 E 17500 S
Vernal, UT 84078-8526

Phone: (435) 781-4341

TO: (New Operator):N2460-QEP Uinta Basin Inc
11002 E 17500 S
Vernal, UT 84078-8526

Phone: (435) 781-4341

CA No.

Unit:

WONSITS VALLEY UNIT

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P	
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P	
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WVFU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P	
WVFU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P	
WVFU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P	
WVFU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P	
WVFU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P	
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P	
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P	
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P	
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P	
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P	
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P	
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P	
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P	
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P	
WVFU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P	
WVFU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P	
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/20032. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/20033. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/20034. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151

5. If NO, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 9/16/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator):

N2460-QEP Uinta Basin, Inc.
1050 17th St, Suite 500
Denver, CO 80265

Phone: 1 (303) 672-6900

TO: (New Operator):

N5085-Questar E&P Company
1050 17th St, Suite 500
Denver, CO 80265

Phone: 1 (303) 672-6900

CA No.

Unit:

WONSITS VALLEY UNIT

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENE	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENE	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENE	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8-21	WV 1W-14-8-21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13-8-21	WV 5W-13-8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENE	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENE	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENW	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENW	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENW	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENW	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL
FOOTAGES AT SURFACE: attached

5. LEASE DESIGNATION AND SERIAL NUMBER:
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
see attached

7. UNIT or CA AGREEMENT NAME:
see attached

8. WELL NAME and NUMBER:
see attached

9. API NUMBER:
attached

10. FIELD AND POOL, OR WILDCAT:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

COUNTY: Uintah

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Well Name Changes
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 4/17/2007

(This space for State use only)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

March 5, 2008

CERTIFIED MAIL NO. 7004 2510 0004 1824 5421

Mr. Kirk Fleetwood
Questar Exploration & Production
11002 East 17500 South
Vernal, Utah 84078

43 047 33645
WV 16W-2-8-21
8S 21E 2

Re: Third Notice of Extended Shut-in and Temporarily Abandoned Well Requirements for Fee or State Leases.

Dear Mr. Fleetwood:

As of January 2008, Questar Exploration & Production has ten (10) State Mineral Lease Wells that are in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status (see attachment A). Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

In March 2004 the Division notified Questar by certified mail that the following 3 wells were in violation of R649-3-36:

- Toll Station ST 8-36-8-21 API 4304732724
- WV 9W-36-7-21 API 4304734066
- WV 7W-36-7-21 API 4304734065

Questar responded with plans to recomplete, convert to injector, or plug and abandon (P&A) these wells by November 2004. To date, nothing has been done on these wells.



March 5, 2008

Questar Third Notice of Extended Shut-in and Temporarily Abandoned Well Requirements

In December 2005, a Second Notice was sent from the DOGM office that reiterated the need for Questar to comply with R649-3-36. Questar was noticed that the following three additional wells were also now in violation of R649-3-36:

- WV 11W-36-7-21 API 4304734067
- OU GB 8W-16-8-22 API 4304734660
- RWU 324(23-16B) API 4304733084

Telephone conversations between Questar and DOGM concerning these additional 3 wells, including a letter response from Questar dated December 29, 2005, followed. The letter response stated wells WV 9W-36-7-21 and WV 7W-36-7-21 were under review and wells Toll Station ST 8-36-8-21, WV 11W-36-7-21, OU GB8W-16-8-22, and RWU 324(23-16B) were scheduled for recompletion or plugging. RWU 324 (23-16B) was noticed for P&A and approved for plugging in February 2006. The well is currently listed as "operation suspended" in our database. DOGM records show that nothing has been done on any of the six wells to bring them into compliance with R649-3-36.

DOGM feels sufficient time has passed to make a determination on these wells. Please submit your plans to produce or plug these wells to DOGM within 30 days of this notice or a Notice of Violation (NOV) will be issued. **Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).**

In addition to the six wells listed above, the following four additional wells are now also in violation of R649-3-36:

- WV 16W-2-8-21 API 4304733645
- OU GB 15G-16-8-22 API 4304734829
- RW 01-36BG API 4304736887
- HR 10MU-2-12-23 API 4304738055

This letter will serve as a first notice for these wells. Questar can put these wells back on production, plug the wells or request extended SI/TA. For extended SI/TA consideration, the operator shall provide the Division with the following:

1. Reasons for SI/TA of the well (R649-3-36-1.1).
2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
3. An explanation and supporting data if necessary, showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence/or absence of Underground Sources of Drinking Water, and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

March 5, 2008

Questar Third Notice of Extended Shut-in and Temporarily Abandoned Well Requirements


Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA.

1. Wellbore diagram, and
2. Copy of recent casing pressure test, and
3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
4. Fluid level in the wellbore, and
5. An explanation of how the submitted information proves integrity.

Additionally, DOGM has not received Sundry notice of testing on well HR 10MU-2-12-23 (API 4304738055) completed in January 2007.

Please respond with your plans for all wells referenced in this letter. If the required information is not received within 30 days of the date of this notice, further actions will be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,



Dustin K. Doucet
Petroleum Engineer

js

Attachment

cc: Well File
Operator Compliance File
Jim Davis, SITLA

ATTACHMENT A

	Well Name	API	Lease Type	Years/Months Inactive
1	TOLL STATION ST 8-36-8-21	4304732724	ML-22051	11 years 7months
2	RW 23-16B	4304733084	ML-3037	7 years 4 months
3	WV 16W-2-8-21	4304733645	ML-2785	2 years 3 months
4	WV 7W-36-7-21	4304734065	ML-47040	6 years 2 months
5	WV 9W-36-7-21	4304734066	ML-47040	6 years 3 months
6	WV 11W-36-7-21	4304734067	ML-47040	2 years 8 months
7	OU GB 8W-16-8-22	4304734660	ML-22049	4 years 9 months
8	OU GB 15G-16-8-22	4304734829	ML-22049	3 years 3 months
9	RW 01-36BG	4304736887	UTO-0566-ST	1 years 2 months
10	HR 10MU-2-12-23	4304738055	ML-50193	1 year 1 month



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

September 29, 2008

CERTIFIED MAIL NO.: 7004 2510 0004 1824 6404

Mr. Lucius McGilviry
Questar Exploration & Production
11002 East 17500 South
Vernal, UT 84078

43 047 33045
WY 16W-2-8-21
8S 21E 2

Re: Second Notice of Extended Shut-in and Temporarily Abandoned Well Requirements for Wells on Fee or State Leases.

Dear Mr. McGilviry:

As of August 2008, Questar Exploration & Production ("Questar") has five (5) State Mineral Lease Wells (see attachment A) that are in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status. Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division" or "DOGM") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

On March 5, 2008, the Division notified you by certified mail that wells 1 through 4 (Attachment A) required filing for an extension or a Sundry Notice for plugging and abandonment. On April 22, 2008, it was understood from our phone conversation that plans to PA these wells would be submitted within a two week time frame. DOGM feels more than sufficient time has passed since the notice was issued to make a determination on these wells. Please submit your plans to produce or plug these wells to DOGM within 30 days of this notice or further actions will be initiated. Note: an additional well has come into non-compliance since our last conversation and letter in April. This well should also be addressed. A notice of violation was sent out separately to cover the additional 6 wells that are currently in non-compliance.



For extended SI/TA consideration the operator shall provide the Division with the following:

1. Reasons for SI/TA of the well (R649-3-36-1.1).
2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3)

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. **Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).**

1. Wellbore diagram, and
2. Copy of recent casing pressure test, and
3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
4. Fluid level in the wellbore, and
5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions will be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,



Dustin K. Doucet
Petroleum Engineer

JP/js
Enclosure

cc: Jim Davis, SITLA
Well File
Compliance File

ATTACHMENT A

	Well Name	API	Lease Type	Years Inactive
1	WV 16W-2-8-21	43-047-33645	ML-2785	2 Years 9 Months
2	OU GB 15G-16-8-22	43-047-34829	STATE	3 Years 9 Months
3	RW 01-36BG	43-047-36887	UTO-0566-ST	1 Year 8 Months
4	HR 10MU-2-12-23	43-047-38055	ML-50193	1 Year 7 Months
5	GB 4SG-36-8-21	43-047-38764	ML-22051	1 Year

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: QUESTAR EXPLORATION AND PRODUCTION

Well(s) or Site(s): 1.) <u>OU GB 15G-16-8-22</u>	API #: <u>43-047-34829</u>
2.) <u>WVFU 16W-2-8-21</u>	<u>43-047-33645</u>
3.) <u>HR 10MU-2-12-23</u>	<u>43-047-38055</u>

Date and Time of Inspection/Violation: January 28, 2009

Mailing Address: Attn: Lucius McGilviry
11002 East 17500 South
Vernal, UT 84078

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells –According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

The Division has initiated several contacts with Questar Exploration and Production (Questar) requesting required documents and action per R649-3-36. On March 5, 2008, the Division notified you by certified mail that the above wells required filing for an extension or a Sundry Notice for plugging and abandonment. On April 22, 2008, it was understood from a phone conversation that plans to PA these wells would be submitted within a two week time frame. A second notice was sent out via certified mail on September 29, 2008 again addressing these wells non-compliance issues. To date our records show nothing has been done to move the wells out of violation status.

Action: For the wells subject to this notice, Questar shall either submit the information required by R649-3-36, plug and abandon or place the well on production.

Questar Exploration and Production

January 28, 2009


Notice of Violation

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: April 1, 2009

Date of Service Mailing: February 11, 2009

CERTIFIED MAIL NO: 7004 2510 0004 1824 6862



Division's Representative

Operator or Representative

(If presented in person)

cc: Well Files
Operator Compliance File

6/2005



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 9, 2009

CERTIFIED MAIL NO. : 7004 1160 0003 0190 2969

Lucius McGilviry
Questar Exploration & Production
11002 East 17500 South
Vernal, Utah 84078

43 047 33645
8S 21E 2

Subject: Notices of Violation dated 9/29/2008 & 2/11/2009

Dear Mr. McGilviry:

A Notice of Violation (NOV) for the Toll Station St 8-36-8-21, WV 7W-36-7-21, WV 9W-36-7-21, WV 11W-36-7-21 and OU GB 8W-16-8-22 wells was issued to Questar Exploration & Production (QEP) by the Utah Division of Oil, Gas & Mining on September 29, 2008. The NOV was sent certified mail and signed for by Mandie Brasfield. The compliance deadline for the NOV was November 1, 2008. To date QEP has not taken the corrective action required by the NOV.

A Notice of Violation for the OU GB 15G-16-8-22, WVFU 16W-2-8-21 and HR 10 MU-2-12-23 wells was issued to Questar Exploration & Production (QEP) by the Utah Division of Oil, Gas & Mining (the "Division") on February 11, 2009. The NOV was sent certified mail and signed for by Amber McDonald. The compliance deadline for the NOV was April 1, 2009. To date QEP has not taken the corrective action required by the NOV.

The Division respectfully requests QEP contact Clinton Dworshak (801-538-5280) within fifteen (15) days of receipt of this letter to set a date and time to meet with the Division to discuss how to best resolve the compliance problems cited in the above-mentioned Notices of Violation.




Page 2

QEP Notices of Violation dated 9/29/2008 & 2/11/2009

June 9, 2009

Failure to comply with this Division request may result in further actions against QEP. Further actions may include initiation of agency actions ordering full cost bonding (R649-3-1.4), bond forfeiture (R649-3-36), plugging and abandonment of wells (R649-3-36), and/or formal hearing before the Board of Oil, Gas and Mining, as described in the Utah Administrative Code R641.

Sincerely,


Clinton Dworshak
Enforcement Manager

CLD/js

Enclosure

cc: Gil Hunt

Dustin Doucet

Well Files

Compliance File

SITLA

N:\O&G Reviewed Docs\ChronFile\Compliance

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: Questar Exploration & Production

Well(s) or Site(s): 1.) <u>TOLL STATION ST 8-36-8-21</u>	API #: <u>43-047-32724</u>
2.) <u>WV 7W-36-7-21</u>	<u>43-047-34065</u>
3.) <u>WV 9W-36-7-21</u>	<u>43-047-34066</u>
4.) <u>RW 23-16B</u>	<u>43-047-33084</u>
5.) <u>WV 11W-36-7-21</u>	<u>43-047-34067</u>
6.) <u>OU GB 8W-16-8-22</u>	<u>43-047-34660</u>

Date and Time of Inspection/Violation: August 5, 2008

Mailing Address: Attn: Lucius McGilviry

11002 East 17500 South

Vernal, UT 84078

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells -- The above referenced wells have been Shut-in or Temporarily Abandoned (SI/TA) over 5 years. According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

The Division has initiated several contacts with Questar Exploration & Production (Questar) requesting this information. Wells 1 through 3 (listed above) had a first notice sent out via certified mail on March 19, 2004. A follow-up letter was sent out, dated July 21, 2004, on behalf of a response received from Questar. It was, at that time, understood by the Division that Questar intended to re-complete, convert to injection or plug and abandon these wells. An extension of SI/TA status was then issued valid until November 15, 2004. Wells 4 through 6 (listed above) were addressed via phone conversations as well as a response from Questar dated December 29, 2005. In this, Questar stated these wells were scheduled for recompletion or plugging. After substantial time had passed without any action on any of the six wells listed, a third notice dated March 5, 2008, was sent addressing all previous communications as well as stating that our records show nothing having been done to move these wells into compliance. Phone conversations were also held with Mr. McGilviry on April 22, 2008 concerning plans to submit required information within a two-week time frame. To date, the required information has not been submitted to the Division nor has action to PA or re-complete the wells been initiated.

Action: For the well subject to this notice, Questar shall either submit the information required by R649-3-36, plug and abandon or place the well on production.

Questar Exploration & Production
August 5, 2008 Notice of Violation

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: November 1, 2008

Date of Service Mailing: September 29, 2008

CERTIFIED MAIL NO: 7004 2610 0004 1824 6411



Division's Representative

Operator or Representative
(If presented in person)

6/2005

7004 2510 0004 1824 6411

U.S. Postal Service CERTIFIED MAIL™ RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)	
For delivery information visit our website at www.usps.com	
Postage \$	9/29/08 Postmark Here
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total For MR LUCIUS MCGILVIRY QUESTAR E & P 11002 E 17500 S VERNAL UT 84078	
Sent To Street Apt or PO Box City, State	

SENDER: COMPLETE THIS SECTION <ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	COMPLETE THIS SECTION ON DELIVERY A. Signature x <i>Maria B...</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee B. Received by (Printed Name) <i>Maria B...</i> C. Date of Delivery D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No
1. Article Addressed to: MR LUCIUS MCGILVIRY QUESTAR E & P 11002 E 17500 S VERNAL UT 84078	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.
2. Article Number (Transfer from service label)	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes

7004 2510 0004 1824 6411

UTAH DEPARTMENT OF NATURAL RESOURCES
Division of Oil, Gas & Mining
Oil and Gas Program
1594 West North Temple, Suite 1210, Box 145801
Salt Lake City, Utah 84114-5801
(801) 538-5340 Phone
(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: QUESTAR EXPLORATION AND PRODUCTION

Well(s) or Site(s): 1.) <u>OU GB 15G-16-8-22</u>	API #: <u>43-047-34829</u>
2.) <u>WVFU 16W-2-8-21</u>	<u>43-047-33645</u>
3.) <u>HR 10MU-2-12-23</u>	<u>43-047-38055</u>

Date and Time of Inspection/Violation: January 28, 2009

Mailing Address: Attn: Lucius McGilvry
11002 East 17500 South
Vernal, UT 84078

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells -According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

The Division has initiated several contacts with Questar Exploration and Production (Questar) requesting required documents and action per R649-3-36. On March 5, 2008, the Division notified you by certified mail that the above wells required filing for an extension or a Sundry Notice for plugging and abandonment. On April 22, 2008, it was understood from a phone conversation that plans to PA these wells would be submitted within a two week time frame. A second notice was sent out via certified mail on September 29, 2008 again addressing these wells non-compliance issues. To date our records show nothing has been done to move the wells out of violation status.

Action: For the wells subject to this notice, Questar shall either submit the information required by R649-3-36, plug and abandon or place the well on production.

Questar Exploration and Production

January 28, 2009


Notice of Violation

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: April 1, 2009

Date of Service Mailing: February 11, 2009

CERTIFIED MAIL NO: 7004 2510 0004 1824 6862



Division's Representative

Operator or Representative

(If presented in person)

cc: Well Files
Operator Compliance File

6/2005

7004 2510 0004 1824 6862

U.S. Postal ServiceTM	
CERTIFIED MAILTM RECEIPT	
<i>(Domestic Mail Only; No Insurance Coverage Provided)</i>	
For delivery information visit our website at www.usps.com	
OFFICIAL USE	
Postage \$	2/11/09 Postmark Here
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total	
Sent to: LUCIUS MCGILVIRY Street or P.O. Box: QUESTAR E & P City, State, ZIP+4: 11002 E 17500 S VERNAL HT 84078	
PS Form 3800, June 2002 See Reverse for Instructions	

SENDER: COMPLETE THIS SECTION <ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	COMPLETE THIS SECTION ON DELIVERY A. Signature <i>Amie M. D...</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee B. Received by (Printed Name) C. Date of Delivery D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No
1. Article Addressed to: LUCIUS MCGILVIRY QUESTAR E & P 11002 E 17500 S VERNAL HT 84078	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes
2. Article Number <i>(Transfer from service label)</i>	7004 2510 0004 1824 6862

UNITED STATES POSTAL SERVICE

First-Class Mail
Postage & Fees Paid
USPS
Permit No. 0-10

• Sender: Please print your name, address, and ZIP+4 in this box •

JEAN SWEET
UTAH DIVISION OF OIL GAS & MINING
PO BOX 145801
SALT LAKE CITY UT 84114-5801

RECEIVED
FEB 18 2009

DIV. OF OIL, GAS & MINING

PS Form 3800, June 2002

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total	

Sent: LUCIUS MC
Street: QUESTAR E
City: 11002 E 1750
City: VERNAL UT

U.S. Postal Service[®]
CERTIFIED MAIL[™] RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)
For delivery information visit our website at www.usps.com
OFFICIAL USE

7004 2510 0004 1824 6862

FURAI

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-2785
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
3. ADDRESS OF OPERATOR: 11002 E. 17500 S. CITY VERNAL STATE UT ZIP 84078		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 660' FSL 660' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESE 2 8S 21E		8. WELL NAME and NUMBER: WV 16W-2-8-21
PHONE NUMBER: (435) 781-4319		9. API NUMBER: 4304733645
COUNTY: UINTAH		10. FIELD AND POOL, OR WILDCAT: WONSITS VALLEY
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input checked="" type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Questar E&P Company requests approval to recomplete this well as follows:

Perforate @ 6008'-14', set packer @ 5970', break down perforations

If productive set RBP @ 5600'

If zone is unproductive set CICR @ 5600' and pump 60 sacks through unstab and pump 10 sacks on top

Perforate @ 5231'-39', break down perforations

Swab test, set/reset RBP @ 5100'

Perforate 4838'-48', break down perforations

Work will start after Questar receives UDOGM approval and equipment is available.

COPY SENT TO OPERATOR

Date: 8.6.2009

Initials: KS

NAME (PLEASE PRINT) Lucius McGillivray	TITLE Associate Petroleum Engineer
SIGNATURE <i>Lucius McGillivray</i>	DATE 7/7/2009

(This space for State use only)

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 7/30/09
BY: *[Signature]*

(See Instructions on Reverse Side)

RECEIVED
JUL 13 2009

DIV. OF OIL, GAS & MINING



Questar Exploration and Production Company

11002 East 17500 South

Vernal, UT 84078

Tel 435 789 4300 · Fax 435 781 4329

July 8, 2009

Mr Clinton Dworshak
Enforcement Officer
Division of Oil, Gas and Mining
Department of Natural Resources
State of Utah
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Subject: Notices of Violation dated 9/29/2008 & 2/11/2009 and Second Notice Letter dated 5/04/2009

Dear Mr Dworshak:

A conference call was held on July 7, 2009 with the following participants to discuss the non-compliance issues listed in the subject correspondence:

Dustin Doucet,	Division of Oil, Gas and Mining (DOGM)
Clinton Dworshak	DOGM
Joshua Payne	DOGM
Kirk Fleetwood	Questar Exploration and Production Company (QEP)
Lucius McGillivray	QEP
Rick Canterbury	QEP

The following is the proposed action for each well and timeframe as discussed in the call:

WV 7W-36-7-21

WV 9W-36-7-21

WV 11W-36-7-21

A Sundry Notice of Intent to abandon has been submitted for each well. These wells will be plugged in the late summer (August or September, 2009).

Toll Station 8-36-8-21

We have approval from the State of Utah and will plug this well in the late summer (August or September, 2009).

OUGB 8W-16-8-22

A Sundry Notice to recomplate this well is being submitted to your office and the recompletion will be initiated 30 to 60 days after approved.

OUGB 15G-16-8-22

This well will be returned to production within the next 30 days.

WVFU 16W-2-8-21

A Sundry Notice to recomplate this well has been approved and is planned for late summer.

RECEIVED

JUL 13 2009

DIV. OF OIL, GAS & MINING

July 8, 2009

HR10 MU 2-12-23

It is not economic to place this well on production under the current market conditions. We are submitting a Sundry Notice requesting shut in status. A mechanical integrity test will be performed within the next 30 days and the Division of Oil, Gas and Mining will be notified prior to the tests. Results will be submitted to your office.

GB 4SG-36-8-21


GB 7SG-36-8-21

We are submitting a Sundry Notice requesting shut in status for both wells. There are shallower zones with production potential but a recompletion and testing program is not economic at this time, given the current natural gas market conditions.

A mechanical integrity test will be performed within the next 30 days and the Division of Oil, Gas and Mining will be notified prior to the test. Results will be submitted to your office.

Enclosed are the sundry notices submitted for the mechanical integrity tests. The remainder of sundries have been or will be submitted within the next week.

Sincerely,

A handwritten signature in black ink, appearing to read "Rick Canterbury", with a stylized flourish at the end.

Rick Canterbury
Regulatory Affairs

Enclosures

T08S R21E S-02 43-047-33645

Questar E & P

Page 1 of 4

Operations Summary Report

Legal Well Name: WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W)
 Common Well Name: WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W) Spud Date: 11/22/2000
 Event Name: RE-COMPLETION Start: 9/1/2009 End:
 Contractor Name: GUDAC BROTHERS Rig Release: 12/31/1989 Group:
 Rig Name: GUDAC BROTHERS WS Rig Number:

Date	From - To	Hours	Code	Sub Code	Phase	Description of Operations
9/2/2009	06:00 - 16:00	10.00	BOP	1		<p>TIGHT HOLE: Recomplete to add perfs & test</p> <p>Initial report: On 9/1/09 MIRU Basin Well Service #3 & related equipment. SITP = 250# & SICP = 750#. Open csg to bleed & flowed back 90 bbls of oil & still flowing out oil. RU pump & reverse Circulate out an additional 50 bbls of oil. Load tbg w/ 30 bbls of water. NDWH. Release "T" Anchor @ 5646'. NU BOP's. POOH w/ 26 stands of tbg & tbg is too oily to continue. SIFN.</p> <p>24 Hour Forecast: Will hot oil well & attempt to pull tbg & perforate additional perfs.</p> <p>Csg Size: 5-1/2" 15.5# & 17# J-55 & N-80 Csg Depth: 8170'</p>
9/3/2009	06:00 - 16:00	10.00	HOT	1		<p>Perfs: Existing: 5652-66' (G-1 Lime) TIGHT HOLE: Recomplete to add perfs & test</p> <p>On 9/2/09 SITP & SICP = 200#. Bled down & tbg flowing water. Reverse circ 90 bbls of hot 2% KCL water & recovered 15 bbls of oil. Reverse circ w/ an additional 75 bbls of production water w/ paraffin solvent. No additional oil recovered. POOH w/ tbg & anchor. MIRU JW Wireline & perforate the following intervals @ 4 JPF @ 90° phasing using a 4" csg gun: 6006-14' (Leota-like SS - 32 holes) and 5232-39' ("O" Dol. - 28 holes). Took 4-1/2 hours to get in & out of the hole due to paraffin & used 90 bbls of water to pump the gun into the hole. RDMO JW Wireline. Perforating was done per the CBL log dated 12/27/00. SIFN.</p> <p>24 Hour Forecast: Will attempt to clean out well again w/ hot fluids & scraper.</p> <p>Csg Size: 5-1/2" 15.5# & 17# J-55 & N-80 Csg Depth: 8170'</p> <p>LLTR: 90 bbls</p> <p>Perfs: Existing: 5652-66' (G-1 Lime) 9/2/09: Leota like SS = 6006-14'; "O" Dol: 5232-39'</p>
9/4/2009	06:00 - 16:00	10.00	HOT	1		<p>TIGHT HOLE: Recomplete to add perfs & test. New perfs: Leota like SS = 6006-14'; "O" Dol: 5232-39'</p> <p>On 9/3/09 SICP = 300#. Bled off with no fluid recovery. Hot oil csg w/ 60 bbls of production water w/ snake oil. RIH w/ 5-1/2" csg scraper & tbg to 6073' w/ no problem. Reverse circulate the well with 100 bbls of hot 2% KCL water. Had full returns. POOH w/ scraper & tbg. RIH w/ 5-1/2" RBP & ret pkr & tbg. Set the RBP @ 6051' & set the pkr @ 5946'. SIFN.</p> <p>24 Hour Forecast: Will breakdown the perfs 6006-14' & swab test.</p>

RECEIVED

SEP 10 2009

DIV. OF OIL, GAS & MINING

Operations Summary Report

Legal Well Name: WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W)
 Common Well Name: WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W) Spud Date: 11/22/2000
 Event Name: RE-COMPLETION Start: 9/1/2009 End:
 Contractor Name: GUDAC BROTHERS Rig Release: 12/31/1989 Group:
 Rig Name: GUDAC BROTHERS WS Rig Number:

Date	From - To	Hours	Code	Sub Code	Phase	Description of Operations
9/4/2009	06:00 - 16:00	10.00	HOT	1		LLTR: 150 bbls Csg Size: 5-1/2" 15.5# & 17# J-55 & N-80 Csg Depth: 8170' Perfs: Existing: 5652-66' (G-1 Lime) 9/2/09: Leota like SS = 6006'-14'; "O" Dol: 5232-39'
9/8/2009	06:00 - 16:00	10.00	SWAB	1		TIGHT HOLE: Recomplete to add perfs & test. New perfs: Leota like SS = 6006-14'; "O" Dol: 5232-39' Currently testing Leota like SS @ 6006-14'; RBP @ 6051' & ret pkr @ 5946' On 9/4/09 SITP = 0# & SICP = 250#. RU hot oiler & pump 10 bbls of hot water down the tbg & caught pressure. Pump an additional 20 bbls of water w/ a break @ 2500# & pump @ 1-1/2 BPM @ 1500# w/ the rig pump & ISIP = 500#. RU swab. On the 1st run stack out at 1000'. On the 2nd run stack out @ 800'. RIH w/ swab mandrel without the cups & could not get past 800'. RU hot oiler & work sinker bars down to 5700' while pumping an additional 30 bbls of hot water. RU swab. IFL @ 1100'. Make 10 swab runs & recovered 33 bbls of water w/ no oil or gas. Make 2 hourly runs & recovered 1/2 bbl per run per hour w/ FL @ 5800'. Final SICP of 200#. RD swab & SIFWE. 24 Hour Forecast: Will acidize the interval 6006-6014'. LLTR: 175 bbls Csg Size: 5-1/2" 15.5# & 17# J-55 & N-80 Csg Depth: 8170' Perfs: Existing: 5652-66' (G-1 Lime) 9/2/09: Leota like SS = 6006'-14'; "O" Dol: 5232-39'
9/9/2009	06:00 - 16:00	10.00	STIM	1		TIGHT HOLE: Recomplete to add perfs & test. New perfs: Leota like SS = 6006-14'; "O" Dol: 5232-39' Currently testing Leota like SS @ 6006-14'; RBP @ 6051' & ret pkr @ 5946' On Am of 9/8/09 SITP = 20# & SICP = 250#. Bled off tbg w/ no fluid recovery. RIH w/ swab w/ IFL @ 2300'. On the 1st run had 600' of free oil on top (3 bbls). Make 2 additional runs & recovered a total of 11 bbls of fluid w/ the last 2 runs @ 5% oil w/ no gas. FFL @ 3800'. MIRU Superior Services & acidize the Leota Like SS perfs 6006-14' w/ 500 gals of 15% HCL acid as follows: Load tbg w/ 28 bbls of water & broke @ 1750#. Pump 500 gals of 15% HCL acid & flush w/ 50 bbls of 2% KCL water. Max psi = 1750#; avg psi = 1200#; Max rate = 4.2 BPM; Avg rate = 2 BPM. ISIP = 1100#. 90 bbls of total load. RDMO Superior Services. No break w/ acid on formation. After 1 hour SI period SITP = 900#. Open well & flowed back 15 bbls of water & died. RU swab. IFL @ surface. Make 17 swab runs & recovered 55 bbls of water swabbing

Operations Summary Report

Legal Well Name: WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W)
 Common Well Name: WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W) Spud Date: 11/22/2000
 Event Name: RE-COMPLETION Start: 9/1/2009 End:
 Contractor Name: GUDAC BROTHERS Rig Release: 12/31/1989 Group:
 Rig Name: GUDAC BROTHERS WS Rig Number:

Date	From - To	Hours	Code	Sub Code	Phase	Description of Operations
9/9/2009	06:00 - 16:00	10.00	STIM	1		<p>& 15 bbls of flowback for a total of 70 bbls. Showed a trace of oil on the last few runs. No gas & FFL @ 5750' & 2 bbls of entry the last 1/2 hour. Final PH = 7. Final SICP = 250#. RD swab & SIFN.</p> <p>On AM of 9/9/09 SITP = 10# & SICP = 250#. Bled off tbq. RU swab w/ IFL @ 2000'. Recovered 150' of free oil on top of 1st run.</p> <p>24 Hour Forecast: Will reset RBP & POOH w/ pkr & perforate additional zone.</p> <p>LLTR: 195 bbls</p> <p>Csg Size: 5-1/2" 15.5# & 17# J-55 & N-80 Csg Depth: 8170'</p> <p>Perfs: Existing: 5652-66' (G-1 Lime) 9/2/09: Leota like SS = 6006'-14'; "O" Dol: 5232-39'</p>
9/10/2009	06:00 - 16:00	10.00	PERF	2		<p>TIGHT HOLE: Recomplete to add perfs & test. New perfs: Leota like SS = 6006-14'; "O" Dol: 5232-39' 9/9/09 - "X" Marker 4832-50'.</p> <p>On 9/9/09 Ret pkr set @ 5946' & RBP @ 6051' testing the Leoota perfs 6006-14'. SITP = 10# & SICP = 250#. Bled off tbq w/ no fluid recovery. RU swab. IFL @ 2000' (22 bbls of entry overnight). Recovered 150' of free oil on the run along with a total of 5 bbls of fluid w/ a 5% oil cut. RD swab. Bled off csg. release pkr @ 5946' & RIH & latch onto & release RBP @ 6051'. No fill on plug. Reset RBP @ 5317'. POOH w/ pkr & tbq. MIRU JW Wireline & perforate the following "X" marker ost. Dol. interval 4832-50' (72 holes) @ 4 JPF @ 90* phasing using a 4" csg gun per the CBL log dated 12/27/00. No change in well after perforating. RDMO JW Wireline. RIH w/ ret pkr & set @ 4785' in 20M# compression. Land tbq with 1 bbl of water & pump 10 bbls of water w/ a breal @ 1600# @ 2 BPM @ 1200# w/ ISIP = 600#. Ru swab. IFL @ surface. Make 11 swab runs & recovered 43 bbls of water w/ no oil or gas & pulling f/ the SN @ 4749' w/ FFL @ 4725'. Had no entry. Have 2 bbls of load to recover f/ the "X" perfs.</p> <p>On AM of 9/10/09 SITP = 350#. Open the tbq * currently flow in straight oil w/ no pressure.</p> <p>24 Hour Forecast: Will acidize.</p> <p>LLTR: 2 bbls</p> <p>Csg Size: 5-1/2" 15.5# & 17# J-55 & N-80 Csg Depth: 8170'</p> <p>Perfs: Existing: 5652-66' (G-1 Lime) 9/2/09: Leota like SS = 6006'-14'; "O" Dol: 5232-39'</p>

Legal Well Name:	WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W)	
Common Well Name:	WV 16W- 2-8-21 (WAS WV 16WRG-2-8-21 (16W)	Spud Date: 11/22/2000
Event Name:	RE-COMPLETION	Start: 9/1/2009 End:
Contractor Name:	GUDAC BROTHERS	Rig Release: 12/31/1989 Group:
Rig Name:	GUDAC BROTHERS WS	Rig Number:

Printed: 9/10/2009 12:24:47 PM

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☐ Oil Well ☒ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☐ New Well ☒ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resrv.
Other: Recompletion Peperf

2. Name of Operator
Questar Exploration & Production Company

3. Address 11002 EAST 17500 SOUTH - VERNAL, UT 84078

3a. Phone No. (include area code)
435.781.4342 - Dahn Caldwell

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

660' FSL, 660' FEL, SESE, SEC 2-T8S-R21E, SLBM

At surface

660' FSL, 660' FEL, SESE, SEC 2-T8S-R21E, SLBM

At top prod. interval reported below

At total depth 660' FSL, 660' FEL, SESE, SEC 2-T8S-R21E, SLBM

14. Date Spudded

15. Date T.D. Reached

16. Date Completed 09/15/2009
☐ D & A ☒ Ready to Prod.

5. Lease Serial No.

ML 2785

6. If Indian, Allottee or Tribe Name

N/A

7. Unit or CA Agreement Name and No.

WONSITS VALLEY UNIT

8. Lease Name and Well No.

WV 16W 2-8-21

9. AFI Well No.

43-047-33645

10. Field and Pool or Exploratory
WONSITS VALLEY11. Sec., T., R., M., on Block and
Survey or Area SEC 2-T8S-R21E

12. County or Parish

UINTAH

13. State

UT

17. Elevations (DF, RKB, RT, GL)*

KB

18. Total Depth: MD 8170'
TVD19. Plug Back T.D.: MD 5600' CIBP
TVD20. Depth Bridge Plug Set: MD 5600'
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

NO NEW LOGS

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	5258'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) GREEN RIVER	5232'	5239'	6006-14'	4"	32	Covered by CIBP @ 5600'
B) GREEN RIVER	4832'	4850'	5232-39'	4"	28	Open
C)			4832-50'	4"	72	Open
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
6006-14'	Acidized w/ 500 Gals of 15% HCL Acid
5232-39' & 4832-50'	Acidized w/ 3,000 Gals of 15% HCL Acid

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
9/18/09	9/21/09	24	→	1	0	39			Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
n/a	SI 55	5	→					Pumping	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
	SI		→						

*(See instructions and spaces for additional data on page 2)

CONFIDENTIAL

SEP 30 2009

DIV. OF OIL, GAS & MINING

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

29. Disposition of Gas (Solid, used for fuel, vented, etc.)

Sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

N/A

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Recompletion - N/A					

32. Additional remarks (include plugging procedure):

Recompletion was started on 9/1/09 and completed on 9/15/09. Producing out of the Green River in the 5232-39' & 4832-50' intervals. CIBP set @ 5600' covered up the other perforations.

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☐ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geologic Report
 ☐ DST Report
 ☐ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) JIM SIMONTON

Title COMPLETION SUPERVISOR

Signature

Jim Simonton (JCS)

Date 09/22/2009

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 3)

RECEIVED
SEP 30 2009

CONFIDENTIAL

(Form 3160-4, page 2)

DIV. OF OIL, GAS & MINING



Questar Exploration and Production Company

11002 East 17500 South

Vernal, UT 84078

Tel 435 789 4300 · Fax 435 781 4329

July 8, 2009

Mr Clinton Dworshak
Enforcement Officer
Division of Oil, Gas and Mining
Department of Natural Resources
State of Utah
P.O. Box 145801
Salt Lake City, Utah 84114-5801

43 047 33645
85 21E 2

Subject: Notices of Violation dated 9/29/2008 & 2/11/2009 and Second Notice Letter dated 5/04/2009

Dear Mr Dworshak:

A conference call was held on July 7, 2009 with the following participants to discuss the non-compliance issues listed in the subject correspondence:

Dustin Doucet,	Division of Oil, Gas and Mining (DOGM)
Clinton Dworshak	DOGM
Joshua Payne	DOGM
Kirk Fleetwood	Questar Exploration and Production Company (QEP)
Lucius McGillivray	QEP
Rick Canterbury	QEP

The following is the proposed action for each well and timeframe as discussed in the call:

WV 7W-36-7-21 → 43-047-34065
WV 9W-36-7-21 → 43-047-34066
WV 11W-36-7-21 → 43-047-34067

A Sundry Notice of Intent to abandon has been submitted for each well. These wells will be plugged in the late summer (August or September, 2009).

Toll Station 8-36-8-21 → 43-047-32724

We have approval from the State of Utah and will plug this well in the late summer (August or September, 2009).

OUGB 8W-16-8-22 → 43-047-34660

A Sundry Notice to recomplete this well is being submitted to your office and the recompletion will be initiated 30 to 60 days after approved.

OUGB 15G-16-8-22 → 43-047-34829

This well will be returned to production within the next 30 days.

→ WV 16W-2-8-21 → 43-047-33645

A Sundry Notice to recomplete this well has been approved and is planned for late summer.

RECEIVED

JUL 13 2009

DIV. OF OIL, GAS & MINING

July 8, 2009

HR10 MU 2-12-23 → 43-047-38055

It is not economic to place this well on production under the current market conditions. We are submitting a Sundry Notice requesting shut in status. A mechanical integrity test will be performed within the next 30 days and the Division of Oil, Gas and Mining will be notified prior to the tests. Results will be submitted to your office.

GB 4SG-36-8-21 → 43-047-38764


GB 7SG-36-8-21 → 43-047-38765

We are submitting a Sundry Notice requesting shut in status for both wells. There are shallower zones with production potential but a recompletion and testing program is not economic at this time, given the current natural gas market conditions.

A mechanical integrity test will be performed within the next 30 days and the Division of Oil, Gas and Mining will be notified prior to the test. Results will be submitted to your office.

Enclosed are the sundry notices submitted for the mechanical integrity tests. The remainder of sundries have been or will be submitted within the next week.

Sincerely,

A handwritten signature in black ink, appearing to read "Rick Canterbury". The signature is fluid and cursive, with a long, sweeping underline that extends to the right.

Rick Canterbury
Regulatory Affairs

Enclosures

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.				Unit:		WONSITS VALLEY		
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- 5a. (R649-9-2) Waste Management Plan has been received on: Requested
- 5b. Inspections of LA PA state/fee well sites complete on: n/a
- 5c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- 3b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
See attached

7. UNIT or CA AGREEMENT NAME:
See attached

8. WELL NAME and NUMBER:
See attached

9. API NUMBER:
Attached

10. FIELD AND POOL, OR WILDCAT:
See attached

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
Questar Exploration and Production Company *N5085*

3. ADDRESS OF OPERATOR:
1050 17th Street, Suite 500 Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 672-6900

4. LOCATION OF WELL:
FOOTAGES AT SURFACE: See attached

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024) *N3700*

Utah State Bond Number: ~~965003033~~

Fee Land Bond Number: ~~965003033~~ *> 965010695*

BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson

TITLE Regulatory Affairs Analyst

SIGNATURE *Morgan Anderson*

DATE 6/23/2010

(This space for State use only)

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED *6/13/2009*

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 32	16	080S	210E	4304716513	5265	State	OW	P	
WV 74	16	080S	210E	4304720078	5265	State	OW	P	
WV 75	16	080S	210E	4304720085	5265	State	OW	P	
WV 134	16	080S	210E	4304731118	5265	State	OW	P	
WV 141	16	080S	210E	4304731609	5265	State	OW	P	
WV 127	16	080S	210E	4304731611	5265	State	OW	P	
WV 142	16	080S	210E	4304731612	5265	State	OW	P	
WV 9W-13-8-21	13	080S	210E	4304733223	14864	State	GW	PA	
WV 2W-16-8-21	16	080S	210E	4304733246	17123	State	GW	P	
WV 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P	
WV 6W-16-8-21	16	080S	210E	4304733527	17123	State	GW	P	
WV 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P	
WV 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	S	
WV 9W-2-8-21	02	080S	210E	4304733648	17123	State	GW	P	
WV 12W-16-8-21	16	080S	210E	4304733649	17123	State	GW	P	
WV 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P	
WV 16W-13-8-21	13	080S	210E	4304733796	17123	State	GW	P	
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P	
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P	
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P	
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P	
WV 11W-16-8-21	16	080S	210E	4304734190	17123	State	GW	P	
WV 13W-16-8-21	16	080S	210E	4304734191	17123	State	GW	P	
WV 14W-16-8-21	16	080S	210E	4304734192	17123	State	GW	P	
WV 15W-16-8-21	16	080S	210E	4304734224	17123	State	GW	P	
WV 16W-16-8-21	16	080S	210E	4304734225	17123	State	GW	P	
WV 1MU-16-8-21	16	080S	210E	4304734288	17123	State	GW	P	
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	LA	
WV 4W-16-8-21	16	080S	210E	4304734292	12436	State	D	PA	
WV 5W-16-8-21	16	080S	210E	4304734321	17123	State	GW	P	
WV 7W-16-8-21	16	080S	210E	4304734322	17123	State	GW	P	
WV 8ML-16-8-21	16	080S	210E	4304734323	17123	State	GW	P	
WV 9W-16-8-21	16	080S	210E	4304734325	17123	State	GW	P	
WV 10W-16-8-21	16	080S	210E	4304734326	17123	State	GW	P	
WV 12BML-16-8-21	16	080S	210E	4304737824	17123	State	GW	P	
WV 12D-16-8-21	16	080S	210E	4304737870		State	GW	LA	
WV 15CML-16-8-21	16	080S	210E	4304737871	17123	State	GW	P	
WV 15DML-16-8-21	16	080S	210E	4304737872		State	GW	LA	
WV 16DML-13-8-21	13	080S	210E	4304738735		State	GW	LA	



GARY R. HERBERT
Governor

GREGORY S. BELL
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

September 14, 2012

CERTIFIED MAIL NO.: 70110110000135682325

Mr. Ryan Angus
QEP Energy Company
11002 East 17500 South
Vernal, UT 84078

43 047 33645
WV 16W-2-8-21
8S 24E 2

Subject: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases

Dear Mr. Angus:

As of January 2012, Questar Exploration & Production (Questar) has nine (9) State Lease Wells (see attachment A) that are currently in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status. Four (4) of the above wells have been issued and are currently under Notices of Violation. The remaining five (5) wells have been added to Questar's SI/TA list this year.

Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1).

For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

1. Reasons for SI/TA of the well (R649-3-36-1.1).
2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Page 2
QEP Energy Company
September 14, 2012


Please note that the Divisions preferred method for showing well integrity is by MIT.

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. **Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).**

1. Wellbore diagram, and
2. Copy of recent casing pressure test, and
3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
4. Fluid level in the wellbore, and
5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,



Dustin K. Doucet
Petroleum Engineer

DKD/JP/ear

cc: LaVonne Garrison, SITLA
Compliance File
Well File

N:\O&G Reviewed Docs\ChronFile\PetroleumEngineer\SITA

ATTACHMENT A

	Well Name	API	LEASE	Years Inactive
1st NOTICE				
1	BIG SPRING 3-36 GR	43-013-33168	ML-47051	2 Years 4 Months
2	GILSONITE 11-02 GR	43-013-33483	ML-47049	2 Years 5 Months
3	BIG WASH 61-16 GR	43-013-33485	ML-47000	2 Years 5 Months
4	GB 4SG-36-8-21	43-047-38764	ML-22051	1 Year 1 Month
5	GB 7SG-36-8-21	43-047-38765	ML-22051	1 Year 8 Months
OUTSTANDING NOVs				
6	TOLL STATION ST 8-36	43-047-32724	ML-22051	15 Years 6 Months
7	OU GB 8W-16-8-22	43-047-34660	ML-22049	8 Years 8 Months
8	OU GB 15G-16-8-22	43-047-34829	ML-22049	7 Years 2 Months
9	WV 16W-2-8-21	43-047-33645	ML-2785	6 Years 2 Months

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-2785
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		8. WELL NAME and NUMBER: WV 16W-2-8-21
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 02 Township: 08.0S Range: 21.0E Meridian: S		9. API NUMBER: 43047336450000
9. FIELD and POOL or WILDCAT: WONSITS VALLEY		COUNTY: UINTAH
STATE: UTAH		
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 10/1/2013 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<div style="display: flex; flex-wrap: wrap;"> <div style="width: 33%;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </div> <div style="width: 33%;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER </div> <div style="width: 33%;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: WORKOVER </div> </div>	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. <div style="display: flex;"> <div style="flex: 1;"> <p>QEP INTENDS TO PERFORM A WORKOVER ON THE WV 16W-2-8-21. THIS WELL IS CURRENTLY SHUT-IN, AND IT IS OUR INTENT TO ENTER THE WELL, DRILL OUT A CIBP AND RE-ENTER AND PRODUCE FROM THE G1 LIME ZONE. THE COMPLETION OF THIS PROCEDURE IS DEPENDENT ON THE SUCCESSFUL WORKOVER OF A SIMILAR WELL, THE WV 16G-14-8-21. SHOULD THE WV 16G-14-8-21 NOT YIELD POSITIVE RESULTS, QEP PLANS TO P&A THE WV 16W-2-8-21. WE INTEND TO HAVE ALL WORK DONE BY THIS FALL.</p> </div> <div style="flex: 0.5; text-align: center; padding-left: 20px;"> <p style="color: red; font-weight: bold;">Approved by the Utah Division of Oil, Gas and Mining</p> <p style="color: red; font-weight: bold;">Date: April 18, 2013</p> <p style="color: red; font-weight: bold;">By: <u><i>D. K. Duff</i></u></p> </div> </div>		
NAME (PLEASE PRINT) Benna Muth		PHONE NUMBER 435 781-4320
SIGNATURE N/A		TITLE Regulatory Assistant
DATE 4/9/2013		

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-2785			
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY			
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		8. WELL NAME and NUMBER: WV 16W-2-8-21			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 02 Township: 08.0S Range: 21.0E Meridian: S		9. API NUMBER: 43047336450000			
PHONE NUMBER: 303 308-3068 Ext		9. FIELD and POOL or WILDCAT: WONSITS VALLEY			
COUNTY: UINTAH		STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 9/15/2013 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/> </td> </tr> </table>		<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP ENERGY COMPANY INTENDS TO PLUG AND ABANDON THE ABOVE REFERENCED WELL USING THE FOLLOWING PROCEDURE: 1. MIRU P&A RIG. 2. POOH WITH RODS AND TUBING. 3. RIH W/ TUBING TAG CIBP @5600'. SPOT 10 SX ON TOP. 4. POOH WITH TUBING. 5. RIH WITH CICR AND SET @ 4780'. 6. RIG UP CEMENTER AND SQUEEZE PERFS WITH 50 SX, SPOT 6 SX ON TOP OF CICR. 7. PULL UP AND LAY DOW 2 STANDS, REVERSE CIRCULATE TUBING CLEAN. 8. CIRCULATE HOLE WITH KCL WATER W/CORROSION AND BIOCID. 9. PULL UP TO 2996'. SPOT A 200' PLUG FROM 2996' - 2796' WITH 24 SX. 10. POOH W/ TUBING AND LAY DOWN SAME. 11. RIG UP WIRELINE AND SHOT SQUEEZE HOLES @ 525'. 12. ESTABLISH INJECTION RATE AND CIRCULATION TO SURFACE. PUMP 190 SX. 13. CUT OFF WELLHEAD, TOP OFF ANNULUS VIA 1" TUBING, IF NECESSARY. 14. WELD ON DRY HOLE MARKER PLATE. 15. CLEAN UP LOCATION, RDMO.					
NAME (PLEASE PRINT) Benna Muth		PHONE NUMBER 435 781-4320			
SIGNATURE N/A		TITLE Regulatory Assistant DATE 9/10/2013			

**Approved by the
 Utah Division of
 Oil, Gas and Mining**

Date: October 09, 2013

By: *Derek Duff*

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-2785
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Oil Well		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY
2. NAME OF OPERATOR: QEP ENERGY COMPANY		8. WELL NAME and NUMBER: WV 16W-2-8-21
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		9. API NUMBER: 43047336450000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 02 Township: 08.0S Range: 21.0E Meridian: S		9. FIELD and POOL or WILDCAT: WONSITS VALLEY
		COUNTY: UINTAH
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION	OTHER: <input style="width: 100px;" type="text"/>
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 12/4/2013				
<input type="checkbox"/> SPUD REPORT Date of Spud:				
<input type="checkbox"/> DRILLING REPORT Report Date:				

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY PLUGGED THE WV 16W-2-8-21 ON 12/04/2013 AS FOLLOWS: 1. PLUG 1 - SET CIBP @5600' AND PUMP 16 SX "B" CEMENT ON TOP. TOC @ 5458'. 2. PLUG 2 - SET CICR @ 4780', PT CASING TO 1000#. GOOD TEST. PUMP 16 SX "B" CEMENT. 3. PLUG 3 - PUMP 28 SX "B" CEMENT FROM 3000' - 2752'. 4. PLUG 4 - SHOOT HOLES @ 525'. PUMP 216 SX "B" CEMENT DOWN CASING AND UP ANNULUS. GOOD CEMENT TO SURFACE. 5. CUT OFF WELL HEAD AND WELD ON DRY HOLE MARKER. ALL SPACER FLUID HAD CORROSION INHIBITOR. CHRIS JENSEN WITH UDOGM WITNESSED PLUGGING.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
 January 13, 2014

NAME (PLEASE PRINT) Benna Muth	PHONE NUMBER 435 781-4320	TITLE Regulatory Assistant
SIGNATURE N/A		DATE 12/31/2013

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-2785
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: WONSITS VALLEY
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		8. WELL NAME and NUMBER: WV 16W-2-8-21
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 02 Township: 08.0S Range: 21.0E Meridian: S		9. API NUMBER: 43047336450000
9. FIELD and POOL or WILDCAT: WONSITS VALLEY		COUNTY: UINTAH
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 5/1/2014			
<input type="checkbox"/> SPUD REPORT Date of Spud:			
<input type="checkbox"/> DRILLING REPORT Report Date:			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

FINAL RECLAMATION WAS COMPLETED ON 05/01/2014. ALL TRASH AND DEBRIS WERE REMOVED. THE LOCATION WAS RECONTOURED TO BLEND WITH SURROUNDING LANDSCAPE, TOPSOIL WAS SPREAD, AND SEED WAS BROADCAST ONTO A ROUGH SURFACE. THE SEED MIX USED WAS: Grass Bottlebrush squirreltail Elymus elymoides VNS 2 PLS LBS Grass Western wheatgrass Pascopyrum smithii Rosana 5 PLS LBS Grass Thickspike wheatgrass Elymus lanceolatus Bannock 5 PLS LBS Grass Galleta curly grass Pleuraphis jamesii Viva 3 PLS LBS Grass Blue grama Bouteloua gracilis Bad River 0.5 PLS LBS Grass Sandberg bluegrass Poa secunda VNS 2.5 PLS LBS TOTAL: 18 PLS LBS/ACRE

**Accepted by the
Utah Division of
Oil, Gas and Mining**

FOR RECORD ONLY

March 06, 2015

NAME (PLEASE PRINT) Stephanie Tomkinson	PHONE NUMBER 435 781-4308	TITLE Sr. Biologist
SIGNATURE N/A	DATE 3/4/2015	